

STANLEY

®

BOSTITCH

**CONSTRUCTION
TOOLS &
FASTENERS**



Bostitch Introduces An Innovative Framing System. In Fact, It's Two Tools In One.



Toe-nailing



Quick change tip



Metal joist hangers



Hurricane straps



Introducing the **N88RH-2MCN Framing System** from **Bostitch**. We took our magnesium N88RH Framing Nailer and transformed it into a multi-tasking framing system with the patented push button quick-change trip system at the heart of the transformation.

See page 9 for tool information and pages 16-17 for a complete list of framing and metal connector nails for use with this tool.

**The N88RH-2MCN Framing System.
Two Great Tools In One.**

STANLEY

BOSTITCH®

www.BOSTITCH.com

16 GAUGE FINISH NAILER FN16250K-2

- Lightweight magnesium housing
- 100% Oil-free
- Dry-fire lockout
- Rear exhaust
- Best power-to-weight ratio
- Tool-free adjustable depth of drive



Featured on page 23

FINISH TRIM

METAL CONNECTOR/FRAMING NAILER N88RH-2MCN

TWO TOOLS IN ONE.
ONE GREAT FRAMING NAILER
METAL CONNECTOR SYSTEM.



Featured on page 9

FRAMING

BOSTITCH CAP STAPLER SB150SLBC-1

- Simultaneously drives caps and staples
- Fast, easy loading of caps and staples
- Flip-open nose for one step jam clearing
- Tool-free adjustable exhaust
- Tool-free adjustable depth of drive



Featured on page 20 & 35

ROOFING

SPECIALTY

**10X
FASTER**
Installing felt paper,
housewrap,
foam board!

IMPORTANT SAFETY INFORMATION

IMPORTANT – READ CAREFULLY

You, and others working around you, can be seriously injured by fastener driving tools if you do not follow the instructions provided on the tool and in the operations manual. Used properly, these tools provide easy, safe, and efficient methods for driving nails and staples for all kinds of construction projects.

REFER to your Operations Manual, Parts List, or call Bostitch® Customer Service – 1-800-556-6696 if any of the terms used below are unfamiliar to you.

THE CONTACT OR SEQUENTIAL TIP

Bostitch offers two types of triggers for pneumatic tools: Contact Tip (black trigger) and Sequential Tip (silver-gray trigger). Each trigger has specific advantages. For example, the Contact Trip is best suited for high-volume, rapid nailing or stapling where exact placement of the fastener is not important. The Sequential Tip is best suited for applications where rapid nailing is not required or where the exact placement of the fasteners is important. Your construction project should be evaluated to determine which trigger is best.

CONTACT TIP

A Bostitch® tool with the Contact Tip (black trigger) installed will drive a nail whenever both the trip and the trigger are depressed at the same time.

The tool can be used to rapidly drive nails by holding the trigger pulled and repeatedly bumping the tip against the work to be nailed (Bump Nailing). A nail is driven each time the trip is bumped against the work.

The Contact Tip (black trigger) will not prevent a nail from being accidentally driven if the trigger is held, pulled and the tip is bumped against any object or person. Never hold or carry the tool with your finger on the trigger unless driving fasteners.

The Contact Tip (black trigger) can also be operated by holding the tool against the work with the trip depressed and then pulling the trigger (Place Nailing).

When using a Contact Tip for Place Nailing, the tool may bounce due to recoil and if the tool is allowed to recontact the work surface while you are holding the trigger pulled, a second nail will be driven. The operator should allow the tool to recoil far enough to release the trip and avoid a second cycle. Don't push the tool down extra hard, let the tool do the work.

SEQUENTIAL TIP

The Sequential Tip (silver-gray trigger) offers a positive safety advantage since it will not accidentally drive a nail if the tool is bumped against any surface or anybody while the operator is holding the tool with the trigger pulled.

It also allows Place Nailing without the possibility of driving a second nail on recoil as described under "Contact Tip".

The Sequential Tip (silver-gray trigger) gets its name from the "sequence" required to operate the tool. To drive a nail, the operator must first depress the trip against the work and then pull the trigger. To drive a second nail, the operator must lift the tool from the work, release the trigger, and then repeat the above sequence.

If further information is required, call Bostitch® Customer Service at 1-800-556-6696 or write to: Bostitch® Customer Service, 1 Briggs Drive, East Greenwich, RI 02818.



NEW
PRODUCTS
TO LOOK
FOR!

STANLEY

BOSTITCH®

NEW
PRODUCTS
TO LOOK
FOR!

THICKCOAT™ GALVANIZED FASTENERS


Electro Plated Zinc Coating
with minimum average zinc thickness
of 1.2 mil for superior corrosion resistance

**Rust Resistant
Chromate Coating**
for further protection
against corrosion

Polymer Coating
increases withdrawal
performance

GOOD FOR
ACQ

Industrial Grade
Carbon Steel Alloy



GOOD FOR USE IN ALL
PRESSURE TREATED
LUMBER APPLICATIONS!

Featured on pages 2, 13-16

CAP2060P 2.0 HP PEAK OIL-FREE COMPRESSOR

- High efficiency 2.0 HP (Peak) 1.6 (Running) heavy duty induction motor for long life
- No maintenance high output oil-free pump delivers 3.4 CFM @ 40 PSI and 2.7 CFM @ 90 PSI
- Large 6 gallon tank capacity reduces run time
- Lightweight compact pancake design for easy portability



Featured on page 45



FASTENERS









COMPRESSORS

STANLEY

BOSTITCH®

TABLE OF CONTENTS

This catalog was designed with the Industry Standard color-coding system. Finding the right tool and fastener for the right application is as easy as flipping to the appropriate color.


	SECTION	PAGE
	FRAMING	8-17
	ROOFING	18-21
	FINISH AND TRIM	22-29
	CONSTRUCTION STAPLERS	30-33
	SPECIALTY CONSTRUCTION	34-41
	COMPRESSORS	42-47
	ACCESSORIES	48-51
	MANUAL FASTENING	52-56
	AUTHORIZED SERVICE CENTERS	57-68



A century of experience goes into every Bostitch® tool we manufacture. From lightweight magnesium housings, to oil-free operation, Bostitch tools are built to work. Look for these icons throughout the catalog.

BA = Bostitch® Advantage is a unique and original product feature

MAG = Lightweight magnesium housing for job-site durability

 = Oil-free technology requires no lubrication and leaves no oil stains on work



Look for the **BA** logo throughout this catalog.



For more information on the complete line of Bostitch® Construction Tools & Fasteners visit us at www.BOSTITCH.com.

STANLEY


BOSTITCH®

THICKCOAT™ GALVANIZATION


Good for use in ALL Pressure Treated Lumber!

For Bostitch Wire Weld
Stick and Coil Framing Nails

The proof is in the performance!



Third Party Test Comparison



Don't worry we've got you covered!

- Testing conducted per ASTM B 117
- Comparative testing based on the cue for customer complaints being the onset of red rust

BOSTITCH

ENGINEERING AND TESTING

It's a rough life for our tools. They're dropped, dragged, pummeled, subjected to cold, exposed to heat and forced to endure extreme, hostile environments. And that's just here at Bostitch, before they leave our doors and go to work for you.

Every single tool that bears the Bostitch® name must withstand these and other rigorous tests, because the main focus is quality and endurance.



Our engineers test our products at extreme temperatures. No detail is overlooked. **People matter.**



Product testing includes drops from 20 feet, over and over. **Durability matters.**

With 100 members on our Engineering and Testing Team, we have over 1,000 years of multi-disciplined experience in research, design and analysis of our products to ensure both longevity and tool safety.

BOSTITCH®

Built to Work™.
Quality.
Endurance.
Longevity.



TeamWorks - The Stanley Works is proud to be the Founding Sponsor of the National TeamWorks Competition, formerly known as TeamBuild®, which helps to train future carpenters, framers and other trades people. This annual two-day competition places a special emphasis on individual trade students working collectively to coordinate all phases of project execution and promotes both communication and coordination between trade disciplines. TeamWorks also recognizes and celebrates the most talented young people who have elected a building trade career path and strengthens the link between industry needs, building trade technology and management curriculum.



Habitat For Humanity - Stanley Bostitch supports Habitat for Humanity by donating industrial and engineering tools, hardware, door systems and fastening systems to the organization's efforts nationally. Stanley sponsors two homes per year at the annual Jimmy Carter Work Project. Habitat for Humanity is a nonprofit, ecumenical Christian housing organization dedicated to building affordable housing for people in need. It's known throughout the world for its efforts to eliminate homelessness and substandard housing.



Neighbor to Neighbor



Proud Worldwide Sponsor



Industry Trade Associations



113 Calhoun Street Foundation - Bostitch is an active member and sponsor of the 113 Calhoun Street Foundation, a private, nonprofit organization whose mission is to create communities more resistant to losses from natural hazards – floods, winds, and earthquakes – and to promote ways of living that help people conserve natural resources.



113 Calhoun St.
A Center for Sustainable Living

S.W.A.T. - Stanley Works Attack Team. Our SWAT team is a group of seasoned professionals who travel throughout the country demonstrating, selling and servicing our tools. These events are a "must attend". To find an event near you, visit us at www.BOSTITCH.com.



Our **SWAT** team is there to help educate and advise you on the best Bostitch® tool to fit your specific needs. **You matter.**

Industry Education Alliance (IEA) - The only national training program "developed by builders for building pros," the IEA trains students in "zero defect construction," qualifies them based on rigorous standards and places 100% of its graduates in the home building industry. Stanley began supplying the IEA with tools for all educational sites in 1993 and continues to support the program today in every location. In addition, Stanley hosts the "Superbowl of Nail Driving" competition at the annual NAHB Show.



Discovery Teams - Research teams in the U.S. and Europe who spend 100% of their time on the job sites with end users listening, learning and researching the needs of end users help us design the best tools in the world.

Fastening Systems University-

A full curriculum school educates and trains users and dealers on Bostitch® products, fastening solutions, applications, safety and service.



BOSTITCH® DEMAND GENUINE BOSTITCH® FASTENERS

Bostitch has over 2000 fasteners that are designed and engineered to meet your fastening needs for optimal performance in your Bostitch® Tools – improving efficiency, productivity, quality and ensuring building code compliance through the NER 272 and ICC 1539 Reports. Through laboratory testing and re-testing, our team of engineers constantly assess the performance attributes of our fasteners to identify opportunities for improvement – withdrawal testing to evaluate new coatings, penetration testing to evaluate drive characteristics, and development testing to optimize performance in withdrawal, shear performance and pull through.



Bostitch® Fasteners are continually evaluated to assess opportunities for improvement. Research and development matters.

Selecting the proper Bostitch® Nails

Nail Collation

Nails are collated in two formats – coil and stick. Bostitch® Coil Nails are collated at a 15 degree angle, joined together with wire and range from 3/4 to 4 inches in length and have diameters ranging from 0.080 to 0.148 inches. Applications typically include roofing, framing and crating.

Bostitch® Stick Nails are designed, engineered and manufactured in four different forms and are generally identified by what holds the nails together – plastic, wire, paper or adhesive. Adhesive collation is used on finish nails and brads for trim and fine woodworking. They range in length from 3/8 to 2 1/2 inches with diameters ranging from 15 to 23 gauge. The wire, paper, and plastic collated nails are used for general framing and crating applications. Strip nails range in length from 1.5 to 6.25 inches with diameters ranging from 0.113 to 0.165 inches.


BA

In a variety of weather conditions, Bostitch® wire collated stick nails perform better than plastic and paper collated nails.

Nail Shank

There are three types of nail shanks – smooth, ring, and screw. A **smooth shank** has a withdrawal capacity that is adequate for most applications. During the manufacturing of smooth shank nails, a coating is applied, which eases penetration resistance and ultimately helps improve the holding power of the fastener. However, when more holding power is necessary, a ring or screw shank should be used. A **ring shank** is designed for increased withdrawal strength in soft woods. The **screw shank** works well at improving the withdrawal capacity in hard woods.

The metal and coating used on the shank of the nail is important when selecting the proper nail for the application. Bostitch® offers nails manufactured out of cold worked carbon steel, cold worked hardened steel, aluminum and stainless steel. Cold worked carbon steel is most commonly used when corrosion resistance is not a concern; cold worked hardened steel is most commonly used when attaching material to very hard substrates; and aluminum and stainless steel are most commonly used when severe corrosion resistance is needed due to the wood or environment in which the nail is installed.



Exclusive to Bostitch is the Thickcoat™ galvanization process, which provides a consistent, high-performance corrosion-resistant coating. Each nail is coated with zinc, a rust-resistant chromate and withdrawal coating – all designed to meet or exceed the performance of ASTM A153 hot dipped galvanized. Thickcoat™ fasteners are available in all sizes of wire-weld, coil and stick and are specifically designed for use in **ALL** pressure treated lumber and exterior applications.

GOOD FOR
ACQ




Bostitch also offers a full line of fasteners designed for use with metal connectors. A complete line of fasteners ranging from 1 1/2 to 2 1/2 length and 0.131 to 0.162 diameter are available to meet the specifications of almost any metal connector.

Nail Point


There are four basic point styles to consider for an application – diamond, blunt diamond, chisel, and blunt chisel. Proper selection is important as the nail point can cause the wood to split, rob the tool of power or affect the withdrawal capacity of the nail.



Diamond Point
General-purpose point,
best holding power



Chisel Point
The preferred point for
trim applications




Blunt Diamond Point
Effective at reducing
wood splitting in
hardwood applications



Blunt Chisel Point
Effective at reducing wood
splitting in hardwood
applications

Selecting the proper Bostitch® Staples

All staples are joined with an adhesive coating that holds the staple together, aids the staple in penetration and keeps it from withdrawing from the wood. Light wire staples are measured in thousandths and heavy wire staples are measured by gauge. Staple gauges range from 15 to 18 and the lengths range from 1/2 to 2 1/2 inches. Both light wire and heavy wire staples are available in steel, coated, and stainless steel, and are typically classified by the crown width. In some cases, they are less expensive and may reduce material splitting as compared to nails.



FRAMING NAILERS FROM BOSTITCH. THE SKY'S THE LIMIT.

WE OFFER A
WIDE SELECTION
OF FRAMING NAILERS
AND FASTENERS.

JOB-TESTED TOUGH!

STANLEY

BOSTITCH

www.BOSTITCH.com


N88RH-2MCN Industrial Round Head Framing System



NEW!

MAG

21" Plastic Collated Stick Nails



Features:

- Includes 2 quick-change tips: one for general framing and a self-centering metal connector tip
- Patented push-button depth control for quick flush nailing adjustments and tool-free tip changes
- Lightweight magnesium housing for job site durability
- 1000 inch lbs. of driving power to tackle tough engineered lumber applications
- Molded rubber comfort grip designed to last longer

Tool Specifications:

- Tool Weight: 7.9 lbs. • Driving Power: 1000 inch lbs. • Power to Weight Ratio: 126


SMOOTH RING SCREW
Available in: Plain, galvanized, stainless steel

* See fastener lists
D / E pages 16-17

N88RH Industrial High-Power Round Head Stick Framing Nailer



21" Plastic Collated Stick Nails



Features:

- Lightweight magnesium housing for job site durability
- Patented push-button depth control for quick flush nailing adjustments
- 1000 inch lbs. of driving power to tackle tough engineered lumber applications
- Molded rubber comfort grip designed to last longer
- Aggressive toe-nailing teeth grip lumber for slip-free toe-nailing

Tool Specifications:

- Tool Weight: 7.9 lbs. • Driving Power: 1000 inch lbs. • Power to Weight Ratio: 126


SMOOTH RING SCREW
Available in: Plain, galvanized, stainless steel

* See fastener list E pages 16-17

N88WWB Industrial High-Power Stick Framing Nailer



28" Wire Collated Stick Nails



Features:

- Lightweight magnesium housing for job site durability
- 1000 inch lbs. of driving power to tackle tough engineered lumber applications
- Patented push-button depth control for quick flush nailing adjustments
- Full 4 stick magazine for greater productivity
- Molded rubber comfort grip designed to last longer
- Aggressive toe-nailing teeth grip lumber for slip-free toe-nailing

Tool Specifications:

- Tool Weight: 7.8 lbs. • Driving Power: 1000 inch lbs. • Power to Weight Ratio: 128

SMOOTH RING SCREW
Available in: Plain, Thickcoat™ galvanized, stainless steel

* See fastener list A page 13-14

www.BOSTITCH.com 9

FRAMING


STANLEY
BOSTITCH

N80SB Industrial Stick Framing Nailer**Features:**

- 880 inch lbs. of driving power
- Aluminum housing for job-site durability
- Adjustable depth control for flush nailing
- Aggressive toe-nailing teeth grip lumber for slip-free toe-nailing


Tool Specifications:

- Tool Weight: 8.4 lbs. • Driving Power: 880 inch lbs.
- Power to Weight Ratio: 105

BA 28" Wire Collated Stick Nails**SMOOTH RING SCREW**

Available in: Plain, Thickcoat™
galvanized, stainless steel

* See fastener list A page 13-14

N80CB Industrial Coil Framing Nailer**SMOOTH RING SCREW**

Available in: Plain, Thickcoat™
galvanized, stainless steel

* See fastener list C page 15

Features:

- Coil magazine holds up to 300 nails for high production applications
- Quick-open composite canister survives falls
- Aggressive toe-nailing teeth grip lumber for slip-free nailing

Tool Specifications:

- Tool Weight: 8.4 lbs. • Driving Power: 880 inch lbs. • Power to Weight Ratio: 105


N100S Industrial Heavy-Duty Stick Framing Nailer**Features:**

- High-power engine drives nails up to 4" in length
- Aluminum housing for job site durability
- Extruded aluminum magazine survives falls

Tool Specifications:

- Tool Weight: 10.2 lbs. • Driving Power: 1350 inch lbs.
- Power to Weight Ratio: 132

For more information on Contact or Sequential Tips, see inside back cover.

BA 28" Wire Collated Stick Nails**SMOOTH RING SCREW**

Available in: Plain, Thickcoat™
galvanized, stainless steel


* See fastener list A page 13-14

N86C Industrial High-Power Coil Framing Nailer**Features:**

- High-power engine for tough engineered lumber and pallet applications
- Coil magazine holds up to 300 nails for high production applications
- Quick-open composite canister survives falls

Tool Specifications:

- Tool Weight: 9.9 lbs. • Driving Power: 1010 inch lbs. • Power to Weight Ratio: 102

**SMOOTH RING SCREW**

Available in: Plain, Thickcoat™
galvanized, stainless steel

* See fastener list C page 15


N90PT Industrial Paper Tape Collated Stick Framing Nailer**Features:**

- Aluminum housing for job site durability
- Extruded aluminum magazine survives falls
- Adjustable depth control for flush nailing
- Aggressive toe-nailing teeth grip lumber for slip free toe-nailing

Tool Specifications:

- Tool Weight: 8.6 lbs. • Driving Power: 880 inch lbs. • Power to Weight Ratio: 102

For more information on Contact or Sequential Tips, see inside back cover.

33" Paper Tape Collated Stick Nails**SMOOTH RING SCREW**

Available in: Plain, galvanized

* See fastener list B page 14


N100C Industrial Heavy-Duty Coil Nailer**Features:**

- High-power engine drives nails up to 4" in length
- Coil magazine holds up to 300 nails for high production applications
- Quick-open composite canister survives falls

Tool Specifications:

- Tool Weight: 10.7 lbs. • Driving Power: 1350 inch lbs. • Power to Weight Ratio: 126

For more information on Contact or Sequential Tips, see inside back cover.

**SMOOTH RING SCREW**

Available in: Plain, Thickcoat™
galvanized, stainless steel

* See fastener list C page 15

BIGBERTA160-2 Industrial High-Power Stick Timber Nailer



21" Plastic Collated Nails



SMOOTH

Features:

- Power-packed engine design drives nails up to 6-1/4"
- Oil-free engine requires no lubrication
- Includes auxiliary handle for added comfort

Available in: Plain, galvanized, stainless steel

* See fastener list E page 17


Tool Specifications:

- Tool Weight: 15.4 lbs. • Driving Power: 2075 inch lbs. • Power to Weight Ratio: 134

N100CPP Industrial High-Power Coil Nailer



15" Coil Nail



SMOOTH RING SCREW

Available in: Plain, galvanized, stainless steel

Features:

- Power-packed engine drives nails up to 4"
- Aluminum housing for job site durability
- Quick-open composite canister survives falls

* See fastener list C page 15


Tool Specifications:

- Tool Weight: 11.9 lbs. • Driving Power: 1615 inch lbs. • Power to Weight Ratio: 136

N130C-2 Industrial Coil Timber Nailer



15" Coil Nail



SMOOTH RING SCREW

Available in: Plain, galvanized

* See fastener list C page 15

Features:

- Power-packed engine drives nails up to 5-1/8"
- Aluminum housing for job site durability
- High-impact composite canister survives falls

Tool Specifications:

- Tool Weight: 12.5 lbs. • Driving Power: 1615 inch lbs. • Power to Weight Ratio: 129

BA

Bostitch® 28° Wire Collated Stick Framing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
S20D131	4" X .131	Smooth	Coated	Diamond	2000	N100S
S6D-2M	2" X .113	Smooth	Coated	Diamond	2000	
S6DGAL-2M	2" X .113	Smooth	Thickcoat™	Diamond	2000	
S6DR113-2M	2" X .113	Ring	Coated	Diamond	2000	
S6DR113GAL	2" X .113	Ring	Thickcoat™	Diamond	2000	
S8D	2-3/8" X .113	Smooth	Coated	Diamond	2000	
S8DGAL	2-3/8" X .113	Smooth	Thickcoat™	Diamond	2000	
S8DSS-1M	2-3/8" X .113	Smooth	Stainless	Diamond	1000	
S8DR	2-3/8" X .113	Ring	Coated	Diamond	2000	
S8DRGAL	2-3/8" X .113	Ring	Thickcoat™	Diamond	2000	
S8DRSS-1M	2-3/8" X .113	Ring	Stainless	Diamond	1000	N79WW, N80SB, N86S, N88WWVB, N100S
S8DS	2-3/8" X .113	Screw	Coated	Diamond	2000	
S8D131	2-1/2" X .131	Smooth	Coated	Diamond	2000	
S8D131GAL	2-1/2" X .131	Smooth	Thickcoat™	Diamond	2000	
S8DH	2-1/2" X .131	Smooth	Hardened	Diamond	2000	
S10D	3" X .120	Smooth	Coated	Diamond	2000	
S10D131	3" X .131	Smooth	Coated	Diamond	2000	
S10DGAL	3" X .120	Smooth	Thickcoat™	Diamond	2000	
S10DR	3" X .120	Ring	Coated	Diamond	2000	
S10DRGAL	3" X .120	Ring	Thickcoat™	Diamond	2000	
S10DRSS-1M	3" X .120	Ring	Stainless	Diamond	1000	
S10DS	3" X .120	Screw	Coated	Diamond	2000	
S10DSGAL	3" X .120	Screw	Thickcoat™	Diamond	2000	
S12D	3-1/4" X .120	Smooth	Coated	Diamond	2000	
S12D131	3-1/4" X .131	Smooth	Coated	Diamond	2000	
S12DGAL	3-1/4" X .120	Smooth	Thickcoat™	Diamond	2000	

Fits Competitor's Tools

Porter Cable: FM350A

BA Bostitch® 28° Wire Collated Stick Framing Nails (Continued)

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
S12D131GAL	3-1/4" X .131	Smooth	Thickcoat™	Diamond	2000	N79WW, N80SB, N86S, N88WWB, N100S
S12DR	3-1/4" X .120	Ring	Coated	Diamond	2000	
S12DS	3-1/4" X .120	Screw	Coated	Diamond	2000	
S12DSGAL	3-1/4" X .120	Screw	Thickcoat™	Diamond	2000	
S12DSS-1M	3-1/4" X .120	Smooth	Stainless	Diamond	1000	
S16D	3-1/2" X .120	Smooth	Coated	Diamond	2000	
S16D131	3-1/2" X .131	Smooth	Coated	Diamond	2000	
S16D131GAL	3-1/2" X .131	Smooth	Thickcoat™	Diamond	2000	
S16DS	3-1/2" X .131	Screw	Coated	Diamond	2000	
S16DS131GAL	3-1/2" X .131	Screw	Thickcoat™	Diamond	2000	
S16DSS-1M	3-1/2" X .131	Smooth	Stainless	Diamond	1000	
S20D131	4" X .131	Smooth	Coated	Diamond	2000	N100S

Fits Competitor's Tools
Porter Cable: FM350A

Bostitch® 33° Paper Collated Stick Framing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
PT-S6D113EP	2" x .113	Smooth	Coated	Diamond	5000	N90PT
PT-S6DR113EP	2" x .113	Ring	Coated	Diamond	5000	
PT-S8D113EP	2 3/8" x .113	Smooth	Coated	Diamond	5000	
PT-S8D113HDG	2 3/8" x .113	Smooth	Hot Dipped	Diamond	5000	
PT-S8DR113EP	2 3/8" x .113	Ring	Coated	Diamond	5000	
PT-S8DR113HDG	2 3/8" x .113	Ring	Hot Dipped	Diamond	5000	
PT-S10D120EP	3" x .120	Smooth	Coated	Diamond	3000	
PT-S10D120HDG	3" x .120	Smooth	Hot Dipped	Diamond	3000	
PT-S10DR120HDG	3" x .120	Ring	Hot Dipped	Diamond	3000	
PT-S10D131EP	3" x .131	Smooth	Coated	Diamond	3000	
PT-S12D131EP	3 1/4" x .131	Smooth	Coated	Diamond	2500	
PT-S12D131HDG	3 1/4" x .131	Smooth	Hot Dipped	Diamond	2500	
PT-S16D131EP	3 1/2" x .131	Smooth	Coated	Diamond	2500	
PT-S16D131HDG	3 1/2" x .131	Smooth	Hot Dipped	Diamond	2500	

Fits Competitor's Tools
Atro: CHS933
DeWalt: D51823
Hitachi: NR83AA, NR90AD
Paslode: 5300S, 5325S, 5350S, SK312, F350S, IM325, IMCT 325, IM 350
Porter Cable: FC350
Senco: SN2+, SN3, SN325+, SN4, SN70, Frame Pro

Bostitch® 15° Coil Framing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
C4PSTIF	1-1/2" X .099	Smooth	Hardened	Diamond	3600	N80CB, N86C, N100C, N100CPP
AC4D113BDP	1-1/2" X .113	Smooth	Coated	Blunt Diamond	7500	
AC5D099	1-3/4" X .099	Smooth	Coated	Diamond	9000	
C6P99D	2" X .099	Smooth	Coated	Diamond	3600	
C6P99DG	2" X .099	Smooth	Thickcoat™	Diamond	3600	
C6R99BC	2" X .099	Ring	Coated	Blunt Chisel	3600	
C6R99BCG	2" X .099	Ring	Thickcoat™	Blunt Chisel	3600	
C6R99BDSS	2" X .099	Ring	Stainless	Blunt Diamond	3600	
AC7D099	2-1/4" X .099	Smooth	Coated	Diamond	9000	
C7R99BCG	2-1/4" X .099	Ring	Thickcoat™	Blunt Chisel	3600	
C7PSTIF	2-1/4" X .099	Smooth	Hardened	Diamond	3600	
C8P99D	2-1/2" X .099	Smooth	Coated	Diamond	3600	
C8P99DG	2-1/2" X .099	Smooth	Thickcoat™	Diamond	3600	
C8R99BCG	2-1/2" X .099	Ring	Thickcoat™	Blunt Chisel	3600	
C8R99BD	2-1/2" X .099	Ring	Coated	Blunt Diamond	3600	
C8R99BDSS	2-1/2" X .099	Ring	Stainless	Blunt Diamond	3600	
C8P120D	2-1/2" X .120	Smooth	Coated	Diamond	2700	
C8P131DH	2-1/2" X .131	Smooth	Hardened	Diamond	2700	
C10P120D	3" X .120	Smooth	Coated	Diamond	2700	
C10P120DG	3" X .120	Smooth	Thickcoat™	Diamond	2700	
C10P131D	3" X .131	Smooth	Coated	Diamond	2700	
C10P148D-SHORT	2-1/4" X .148	Smooth	Coated	Diamond	2700	
AC10DR	3" X .120	Ring	Coated	Blunt Diamond	4500	
C10R120DSS	3" X .120	Ring	Stainless	Diamond	2700	
C10S120DG	3" X .120	Screw	Thickcoat™	Diamond	2700	
C12P120D	3-1/4" X .120	Smooth	Coated	Diamond	2700	
C12P120DG	3-1/4" X .120	Smooth	Thickcoat™	Diamond	2700	
C12R120DSS	3-1/4" X .120	Ring	Stainless	Diamond	2700	
AC12DS	3-1/4" X .120	Screw	Coated	Blunt Diamond	4500	
C12S120DG	3-1/4" X .120	Screw	Thickcoat™	Diamond	2700	
C12P131D	3-1/4" X .131	Smooth	Coated	Diamond	2700	N100C, N100CPP, N130C
C16P131D	3-1/2" X .131	Smooth	Coated	Diamond	2700	
C16P131DG	3-1/2" X .131	Smooth	Thickcoat™	Diamond	2700	
C20S120D	4" X .120	Screw	Coated	Diamond	2700	
C20P131D	4" X .131	Smooth	Coated	Diamond	2700	
C20P131DG	4" X .131	Smooth	Thickcoat™	Diamond	2700	

Fits Competitor's Tools
DuoFast: CNW-75
Hitachi: NV83A
Makita: AN901
Max: 890C

Paslode: F275C / P275C, F325C / P325C, 5300C
Porter Cable: Coil350
Senco: SCN60, SCN65

Bostitch® 21° Plastic Collated Metal Connector Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
RH-MC13115-S	1 1/2" x 0.131"	Smooth	Bright, Heat Treated	Diamond	1000	N88RH-2MCN
RH-MC13115GAL-S	1 1/2" x 0.131"	Smooth	Thickcoat™, Heat Treated	Diamond	1000	
RH-MC14815-S	1 1/2" x 0.148"	Smooth	Bright, Heat Treated	Diamond	1000	
RH-MC14815GAL-S	1 1/2" x 0.148"	Smooth	Thickcoat™, Heat Treated	Diamond	1000	
RH-MC13125-S	2 1/2" x 0.131"	Smooth	Bright, Heat Treated	Diamond	1100	
RH-MC13125GAL-S	2 1/2" x 0.131"	Smooth	Thickcoat™, Heat Treated	Diamond	1100	
RH-MC14825-S	2 1/2" x 0.148"	Smooth	Bright, Heat Treated	Diamond	900	
RH-MC14825GAL-S	2 1/2" x 0.148"	Smooth	Thickcoat™, Heat Treated	Diamond	900	
RH-MC16225-S	2 1/2" x 0.162"	Smooth	Bright, Heat Treated	Diamond	900	
RH-MC16225GAL-S	2 1/2" x 0.162"	Smooth	Thickcoat™, Heat Treated	Diamond	900	

Bostitch® 21° Plastic Collated Stick Framing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
RH-S6DEP	2" X .113	Smooth	Coated	Diamond	6000	N79RH, N88RH-2MCN, N95RHN, N88RH
RH-S6HDG	2" X .113	Smooth	Hot Dipped	Diamond	6000	
RH-S6DR113EP	2" X .113	Ring	Coated	Diamond	6000	
RH-S6DRHDG	2" X .113	Ring	Hot Dipped	Diamond	6000	
RH-S214DEP	2-1/4" X .148	Smooth	Coated	Diamond	4000	
RH-S214DREP	2-1/4" X .148	Ring	Coated	Diamond	4000	
RH-S214DSEP	2-1/4" X .148	Screw	Coated	Diamond	4000	
RH-S8D113EP	2-3/8" X .113	Smooth	Coated	Diamond	5000	
RH-S8D113HDG	2-3/8" X .113	Smooth	Hot Dipped	Diamond	5000	
RH-S8D113SS	2-3/8" X .113	Smooth	Stainless	Diamond	2500	
RH-S8DR113EP	2-3/8" X .113	Ring	Coated	Diamond	5000	N88RH, N88RH-2MCN
RH-S8DR113HDG	2-3/8" X .113	Ring	Hot Dipped	Diamond	5000	
RH-S8DR113SS	2-3/8" X .113	Ring	Stainless	Diamond	2500	
RH-S8DR113HP	2-1/2" X .113	Sheather Plus™	Coated	Diamond	5000	
RH-S8DR113GHP	2-1/2" X .113	Sheather Plus™	Galvanized	Diamond	5000	
RH-S8D120EP	2-3/8" X .120	Smooth	Coated	Diamond	5000	
RH-S8D120HDG	2-3/8" X .120	Smooth	Hot Dipped	Diamond	5000	
RH-S8DR120EP	2-3/8" X .120	Ring	Coated	Diamond	5000	
RH-S8DR120HDG	2-3/8" X .120	Ring	Hot Dipped	Diamond	5000	

Bostitch® 21° Plastic Collated Stick Framing Nails (Continued)

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
RH-S8D148EP	2-3/8" X .148	Smooth	Coated	Diamond	4000	N79RH, N88RH-2MCN, N95RHN, N88RH
RH-S8DS148EP	2-3/8" X .148	Screw	Coated	Diamond	4000	
RH-S8D131EP	2-1/2" X .131	Smooth	Coated	Diamond	5000	
RH-S8D131HDG	2-1/2" X .131	Smooth	Hot Dipped	Diamond	5000	
RH-S8DR131EP	2-1/2" X .131	Ring	Coated	Diamond	5000	
RH-S8DR131HP	2-1/2" X .131	Sheather Plus™	Coated	Diamond	5000	
RH-S8DR131GHP	2-1/2" X .131	Sheather Plus™	Galvanized	Diamond	5000	
RH-S10D120EP	3" X .120	Smooth	Coated	Diamond	4000	
RH-S10D120HDG	3" X .120	Smooth	Hot Dipped	Diamond	4000	
RH-S10DR120EP	3" X .120	Ring	Coated	Diamond	4000	
RH-S10DR120SS	3" X .120	Ring	Stainless	Diamond	2000	N79RH, N88RH-2MCN, N95RHN, N88RH
RH-S10DR120HDG	3" X .131	Ring	Hot Dipped	Diamond	4000	
RH-S10D131EP	3" X .131	Smooth	Coated	Diamond	4000	
RH-S10D131HDG	3" X .131	Smooth	Hot Dipped	Diamond	4000	
RH-S10DR131EP	3" X .131	Ring	Coated	Diamond	4000	
RH-S10DR131HDG	3" X .131	Ring	Hot Dipped	Diamond	4000	
RH-S10DS120HDG	3" X .120	Screw	Hot Dipped	Diamond	4000	
RH-S10D148EP	3" X .148	Smooth	Coated	Diamond	3000	
RH-S12D120EP	3-1/4" X .120	Smooth	Coated	Diamond	4000	
RH-S12D131EP	3-1/4" X .131	Smooth	Coated	Diamond	4000	
RH-S12D131HDG	3-1/4" X .131	Smooth	Hot Dipped	Diamond	4000	N79RH, N95RHN, N88RH
RH-S12D148EP	3-1/4" X .148	Smooth	Coated	Diamond	3000	
RH-S12DS148EP	3-1/4" X .148	Screw	Coated	Diamond	3000	
RH-S12D162EP	3-1/4" X .162	Smooth	Coated	Diamond	3000	
RH-S16D131EP	3-1/2" X .131	Smooth	Coated	Diamond	4000	
RH-S16D131HDG	3-1/2" X .131	Smooth	Hot Dipped	Diamond	4000	
RH-S16D135EP	3-1/2" X .135	Smooth	Coated	Diamond	2000	
RH-S16D162EP	3-1/2" X .162	Smooth	Coated	Diamond	2000	
S38-100B	4" x .150	Smooth	Coated	Diamond	1250	
S38-115B	4-1/2" x .150	Smooth	Coated	Diamond	1250	
S34S-115B	4-1/2" x .134	Screw	Coated	Diamond	1250	KN85PP, BIGBERTA160
S38-130B	5-1/8" x .150	Smooth	Coated	Diamond	1250	
S42-130B	5-1/8" x .165	Smooth	Coated	Diamond	1250	
S42-160B	6-1/4" x .160	Smooth	Coated	Diamond	500	

Fits Competitor's Tools

DeWalt: D51845

DuoFast: CN350B

Hitachi: NR83A, NR90AC

Makita: AN922, AN8300


Paslode: 5300, F350SRH

Porter Cable: FR350, FR350MAG

Senco: SN60, SN65, SN65C, FramePro FRH

Sheather Plus™

Revolutionary Nail Technology.
Ultimate Structural Performance.



Best in class, ultimate load capacity, outperforms virtually all standard sheathing nails.

- 100% More uplift capacity vs standard .131 sheathing nail.
- 50% More shear energy capacity vs .113 ring sheathing nail.



- ✓ Weighs only 4.8 lbs.
- ✓ Loads in one step
- ✓ Won't fire when empty
- Hauls shingles up ladder

The NEW Bostitch® RN46 Roofing Nailer versus the competition.

	Bostitch® RN46	Hitachi® NV45AB	Porter-Cable® RN175	Paslode® 3175/44RCU	Senco® SCN40R
Lightweight Magnesium Housing	✓			✓	✓
Easy One-Step Loading Design	✓			✓	
Dry-fire Lockout (Will not fire when empty)	✓				
Tool-Free Shingle Guide	✓				✓
Weight	4.8 lbs	5.4 lbs	5.09 lbs	5.6 lbs	5.1 lbs
Power-to-Weight Ratio	83.6	56.51	66.18	51.1	63.7



No nailer does everything, but the Bostitch® RN46 Coil Roofing Nailer comes close. With its magnesium housing, one-step loading, dry-fire nail lockout, and tool-free shingle guide, the RN46 makes roofing easy. At least the part where you nail down shingles. For a test drive, see a Bostitch® retailer near you.

STANLEY


BOSTITCH

www.BOSTITCH.com

RN46-1 Industrial Coil Roofing nailer



NEW!
MAG



Features:

- Lightweight magnesium housing for job site durability
- Aggressive wear guards and skid resistant pads
- Carbide Inserts in tip for long life
- Dry-fire lockout: Does not fire when empty
- Patented single action side load canister
- 410 in-lbs. of driving energy for the hardest of applications
- Quick-set adjustable depth control for consistent nail drives
- Over molded grip for comfortable use
- Shingle guide that requires no tools to adjust for fast layouts
- Full round driver for more consistent drive quality

Tool Specifications:


- Tool Weight: 4.8 lbs. • Driving Power: 410 inch lbs. • Power to Weight Ratio: 83.6

Accessories: Vinyl siding attachment VSA4



VSA4

RN45B-1 Industrial Coil Roofing Nailer



Features:

- Aggressive wear guards and skid resistant pads
- Carbide Inserts in tip for long life
- Adjustable shingle guide
- Adjustable exhaust
- Patented, single-action, side load canister for fast, one-step nail loading
- Massive rubber housing pads help keep nailer from sliding off roof

Tool Specifications:

- Tool Weight: 6.0 lbs. • Driving Power: 442 inch lbs. • Power to Weight Ratio: 74

Accessories: Vinyl siding attachment VSA2, Adjustable depth control DC6



VSA2




DC6

* See fastener list A page 21

ROOFING

BOSTITCH

438S2R Industrial Jam-Free Wide Crown Roofing Stapler



Available in: Coated
* See fastener list B page 21


- Features:**
- Patented jam-free magazine
 - Power control valve adjusts power by 30%
 - Aggressive wear guards and skid resistant pads
 - Carbide inserts in tip for long life
 - Molded rubber comfort grip designed to last longer

Tool Specifications:

- Tool Weight: 4.7 lbs. • Driving Power: 230 inch lbs. • Power to Weight Ratio: 49

For more information on Contact or Sequential Tips, see inside back cover.

SB150SLBC-1 Bostitch Cap Stapler Kit



Available in: Coated
* See fastener lists C-D page 21

- Features:**
- Uses wider 5/16" crown SL staples for improved holding power
 - 1" to 1 1/2" maximum leg length SL staple
 - Tool-free adjustable depth of drive
 - Easy loading of both the caps and staples
 - Lightweight, durable aluminum housing
 - Kit includes tool, carry case, oil, allen wrench, 1000 Bostitch caps and 1000 staples

Tool Specifications:

- Tool Weight: 4.7 lbs. • Driving Power: 300 inch lbs. • Power to Weight Ratio: 64

For more information on Contact or Sequential tips, see inside back cover.



When installing felt paper use 1" SL50351G Staples

When installing house wrap use 1" SL50351G Staples

When installing foam board use 1 1/2" SL50351-1/2G Staples

10X FASTER
Installing felt paper, housewrap, foam board!

Bostitch® 15° Coil Roofing Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
CR19GAL	3/4"	Smooth	Galvanized	Diamond	7200	N12, RN45B, RN46
CR2DCGAL	7/8"	Smooth	Galvanized	Diamond	7200	
CR2DCSS	7/8"	Smooth	Stainless Steel	Diamond	7200	
CR2DGAL	1"	Smooth	Galvanized	Diamond	7200	
CR3DGAL	1-1/4"	Smooth	Galvanized	Diamond	7200	
CR3DSS	1-1/4"	Smooth	Stainless Steel	Diamond	7200	
CR4DGAL	1-1/2"	Smooth	Galvanized	Diamond	7200	
CR4DSS	1-1/2"	Smooth	Stainless Steel	Diamond	7200	
CR5DGAL	1-3/4"	Smooth	Galvanized	Diamond	7200	

Fits Competitor's Tools

Atro: CN134, Roofing Roll
Craftsman: 18324, 154500
Hitachi: NV45AB, NV45AC, NV45AB2
Jamerco: JTCN-45R
Makita: AN 451

Max: CN12R, CN450R
Paslode: 3175RCU
Porter Cable: RN175, RN175A
Senco: SCN 200R, SCN 40RN

Bostitch® 16-Gauge Construction Staples

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
16S2-12G	16	1"	1/2"	Coated	Chisel	18000	438S2, 450S2, T40S2
16S2-15G	16	1"	19/32"	Coated	Chisel	16500	
16S2-16G	16	1"	21/32"	Coated	Chisel	15000	
16S2-19G	16	1"	3/4"	Coated	Chisel	13500	
16S2-22G	16	1"	7/8"	Coated	Chisel	12000	
16S2-25G	16	1"	1"	Coated	Chisel	10500	
16S2-28G	16	1"	1 1/8"	Coated	Chisel	9000	
16S2-31G	16	1"	1 1/4"	Coated	Chisel	9000	
16S2-38G	16	1"	1 1/2"	Coated	Chisel	7500	

Bostitch® 18-Gauge 5/16 Crown Staples

Item #	Wire Gauge	Crown	Leg	Finish	Qty.	Fits Bostitch® Tools
SL50351G-1M	18	5/16"	1"	Coated	1000	SB150SLBC
SL50351G	18	5/16"	1"	Coated	5000	
SL50351-1/2G	18	5/16"	1 1/2"	Coated	3000	

Bostitch® Caps

Item #	Qty.	Fits Bostitch® Tools
SB-CAPS	1000	SB150SLBC

It has every feature you can think of.
And two or three you never would.



The NEW Bostitch® 16-Gauge Finish Nailer versus the competition.

	Bostitch® FN16250K-2	Paslode T250-F16	Porter-Cable FN250B	Senco FP32	Hitachi NNV54B2	Dewalt D51256K
100% Oil Free	✓					
Lightweight Magnesium Housing	✓	✓				
Dry Fire Lock Out	✓					
Rear Exhaust	✓					
Weight	3.3 lbs.	4.2 lbs.	3.8 lbs.	4.4 lbs.	4.5 lbs.	4.1 lbs.
Driving Power	290	262	297	317	253	268
Power-to-Weight Ratio	88	62	79	72	56	65

Whatever you're looking for in a nailer, you just found it. The Bostitch® 16-Gauge Finish Nailer won't fire when empty, which reduces marking. It's oil-free, so it won't stain your prized mahogany. Plus, it has a lightweight magnesium housing, rear exhaust, and adjustable depth control. The Bostitch® 16-Gauge Finish Nailer. It's everything a nailer should be. And more.

STANLEY


BOSTITCH

www.BOSTITCH.com

N62FNK-2 Industrial 15-Gauge Oil-Free Angled Finish Nailer Kit



BA 15-Gauge Finish Nail



Available in: Coated, stainless steel, aluminum

* See fastener list A page 27

Features:

- Lightweight magnesium housing for job site durability
- Oil-free engine requires no lubrication, leaves no oil stains on work
- Adjustable depth of drive for quick countersinking adjustments
- Tool-free removable magazine for fast cleaning and jam-clearing


Tool Specifications:

- Tool Weight: 3.8 lbs. • Driving Power: 400 inch lbs. • Power to Weight Ratio: 105

FN16250K-2 Industrial 16-Gauge Oil-Free Finish Nailer



16-Gauge Finish Nail



Available in: Coated

* See fastener list C page 28

Features:

- Lightweight magnesium housing for job site durability
- Oil-free engine requires no lubrication, leaves no oil stains on work
- Adjustable depth of drive for quick countersinking adjustments
- Ultra-quiet rear exhaust directs air away from user
- Dry fire lock out prevents cycling when empty


Tool Specifications:

- Tool Weight: 3.3 lbs. • Driving Power: 290 inch lbs. • Power to Weight Ratio: 88

SB-1664FN Industrial 16-Gauge Straight Finish Nailer Kit



16-Gauge Finish Nail



Available in: Coated

Features:

- Adjustable depth control for quick countersinking adjustments
- Adjustable deflector conveniently directs exhaust
- Quick release nose door for fast jam clearing

* See fastener list C page 28

Tool Specifications:

- Tool Weight: 4.0 lbs. • Driving Power: 300 inch lbs. • Power to Weight Ratio: 75

For more information on Contact or Sequential Tips, see inside back cover.

www.BOSTITCH.com 23

FINISH & TRIM

STANLEY
BOSTITCH

Our engineers have accomplished something remarkable
They read your mind.



The NEW Bostitch 2" Brad Nailer versus the competition.

	Bostitch® BT200K-2	Senco FP25XP	Porter-Cable BN125A BN200A	DeWalt D51238K	Paslode T200-F18	Hitachi NT50AE
100% Oil Free	✓	✓				
Lightweight Magnesium Housing	✓	✓				
Rear Exhaust	✓					
Magnetic Fastener Retention System	✓					
Molded Rubber Comfort Grip	✓					
Weight	2.1 lbs	2.7 lbs	2.75 lbs	2.9 lbs	2.1 lbs	3.2 lbs
Power-to-Weight Ratio	80	63	69	60	72	49

Name the feature you want, and Bostitch® engineers have fit it into our new oil-free finish nailers. These nailers are so light, powerful and feature packed, it's as if you designed them yourself. Compare Bostitch® to the competition, and you'll agree there's no comparison. To see our all-new, oil-free line, visit a Bostitch® retailer near you.



BT125K-2
5/8"–1 1/4" Oil-Free Brad Nailer Kit



BT200K-2
5/8"–2" Oil-Free Brad Nailer Kit



SX150K-1
1/2"–1 1/2" Oil-Free
Narrow Crown Stapler Kit

STANLEY


BOSTITCH

www.BOSTITCH.com

BT125K-2 Industrial 1 1/4", 18-Gauge Oil-Free Brad Nailer Kit



18-Gauge Brad



Available in: Coated

* See fastener list D pages 28-29

Features:

- Lightweight magnesium housing for job site durability
- Oil-free operation prevents stains on workpiece
- Ultra-quiet rear exhaust
- Open nose design for easy jam clearing
- Adjustable depth control for quick countersinking adjustments
- No-mar tip protects work surface


Tool Specifications:

- Tool Weight: 1.9 lbs. • Driving Power: 145 inch lbs. • Power to Weight Ratio: 76

SB-1842BN Industrial 1 5/8", 18-Gauge Brad Nailer Kit



18-Gauge Brad



Available in: Coated

* See fastener list D pages 28-29

Features:

- Adjustable depth control for quick, countersinking adjustments
- Tool-free adjustable deflector conveniently directs exhaust
- No-mar tip protects work surface


Tool Specifications:

- Tool Weight: 2.4 lbs. • Driving Power: 135 inch lbs. • Power to Weight Ratio: 56

BT200K-2 Industrial 2", 18-Gauge Oil-Free Brad Nailer Kit



18-Gauge Brad



Available in: Coated

* See fastener list D pages 28-29

Features:

- Lightweight magnesium housing for job site durability
- Oil-free operation prevents stains on workpiece
- Ultra-quiet rear exhaust
- Open nose design for easy jam clearing
- Adjustable depth control for quick countersinking adjustments

Tool Specifications:

- Tool Weight: 2.1 lbs. • Driving Power: 170 inch lbs. • Power to Weight Ratio: 81

For more information on Contact or Sequential Tips, see inside cover.

www.BOSTITCH.com 25


FINISH & TRIM

STANLEY
BOSTITCH

SB-1850BN Industrial 2", 18-Gauge Brad Nailer Kit



18-Gauge Brad



Available in: Coated

Features:

- Adjustable depth control for quick, countersinking adjustments
- Tool-free adjustable deflector conveniently directs exhaust
- No-mar tip protects work surface

* See fastener list D pages 28-29


Tool Specifications:

- Tool Weight: 2.7 lbs. • Driving Power: 145 inch lbs. • Power to Weight Ratio: 52

SX150K-1 Industrial 1 1/2", 18-Gauge Oil-Free Finish Stapler Kit



18-Gauge Staple



Available in: Coated

Features:


- Lightweight magnesium housing for job site durability
- Oil free operation prevents stains on workpiece
- Ultra-quiet rear exhaust
- Open nose design for easy jam clearing
- Adjustable depth control for quick countersinking adjustments

* See fastener list E page 29

Tool Specifications:

- Tool Weight: 2.5 lbs. • Driving Power: 170 inch lbs. • Power to Weight Ratio: 68

SB-2IN1 Combo 1 5/8" Brad Nailer / 1 1/2" Finish Stapler Kit



Available in: Coated

Features:

- Drives both brads and finish staples
- Adjustable depth control for quick, countersinking adjustments
- Tool-free adjustable deflector conveniently directs exhaust

* See fastener lists, D pages 28-29, E page 29


Tool Specifications:

- Tool Weight: 2.6 lbs. • Driving Power: 135 inch lbs. • Power to Weight Ratio: 52

SB-150SX Industrial 1 1/2", 18-Gauge Finish Stapler Kit



18-Gauge Staple



Available in: Coated

Features:

- BA • Bottom load magazine for fast loading and easy jam clearing
- Adjustable deflector conveniently directs exhaust
- No-mar tip protects work surface

* See fastener list E page 29

Tool Specifications:


- Tool Weight: 2.6 lbs. • Driving Power: 135 inch lbs. • Power to Weight Ratio: 52

TU-216-2330 Industrial 1 3/16" 23-Gauge Headless Pinner



NEW!

23-Gauge Headless Pin



Available in: Coated

* See fastener list F page 29

Features:

- BA • Adjustable high/low power switch
- Lightweight, durable aluminum housing
- Over molded grip
- Rear exhaust

Tool Specifications:

- Tool Weight: 2.2 lbs. • Driving Power: 60 inch lbs. • Power to Weight Ratio: 27

BA Bostitch® 15-Gauge "FN" Style Angled Finish Nails

Item #	Size	Point Style	Finish	Qty.	Fits Bostitch® Tools
FN1520	1-1/4"	Chisel	Coated	3655	N59FN, N60FN, N62FN
FN1520-1M	1-1/4"	Chisel	Coated	1000	
FN1524	1-1/2"	Chisel	Coated	3655	
FN1524-1M	1-1/2"	Chisel	Coated	1000	
FN1524ALM	1-1/2"	Chisel	Aluminum	3655	
FN1524SS	1-1/2"	Chisel	Stainless	3655	
FN1528	1-3/4"	Chisel	Coated	3655	
FN1532	2"	Chisel	Coated	3655	
FN1532-1M	2"	Chisel	Coated	1000	
FN1532ALM	2"	Chisel	Aluminum	3655	
FN1532SS	2"	Chisel	Stainless	3655	
FN1536	2-1/4"	Chisel	Coated	3655	
FN1540	2-1/2"	Chisel	Coated	3655	
FN1540-1M	2-1/2"	Chisel	Coated	1000	
FN1540ALM	2-1/2"	Chisel	Aluminum	3655	
FN1540SS	2-1/2"	Chisel	Stainless	3655	

Fits Competitor's Tools

Makita: AF631

Bostitch® 15-Gauge "DA" Style Angled Finish Nails

Item #	Size	Point Style	Finish	Qty.	
DA1520	1-1/4"	Chisel	Coated	4000	
DA1524	1-1/2"	Chisel	Coated	4000	
DA1528	1-3/4"	Chisel	Coated	4000	
DA1532	2"	Chisel	Coated	4000	
DA1536	2-1/4"	Chisel	Coated	4000	
DA1540	2-1/2"	Chisel	Coated	4000	

Fits Competitor's Tools

DeWalt: D51275K

DuoFast : DAFN-6480, DAFN-6432

Porter Cable: DA250, DA250A, DA250B

Senco: SFN30, SFN40, SFN1

A250FN, Air Free 41, Finish Pro 35, Finish Pro 41XP

Stanley: SDA250K Hitachi: NT65AA

Bostitch® 18-Gauge Brads (Continued)

Item #	Size	Point	Finish Style	Qty.	Fits Bostitch® Tools
BT1335B-1M	1-3/8"	Chisel	Coated	1000	
BT1335B	1-3/8"	Chisel	Coated	2000	
BT1338B	1-1/2"	Chisel	Coated	3000	
BT1340B-1M	1-9/16"	Chisel	Coated	1000	
BT1340B	1-9/16"	Chisel	Coated	2000	
BT1342B-1M	1-5/8"	Chisel	Coated	1000	
BT1345B-1M	1-3/4"	Chisel	Coated	1000	
BT1345B	1-3/4"	Chisel	Coated	2000	
BT1350B-1M	2"	Chisel	Coated	1000	
BT1350B	2"	Chisel	Coated	2000	
SB-1842BN, SB-2IN1, BT200K-2					
SB-1850BN, BT35B, BT50B					
SB-1842BN, SB 2IN1, BT200K-2					
SB-1850BN, BT35B, BT50B					
SB-1850BN, BT200K-2					
SB-1842BN, SB-2IN1, BT200K-2					
SB-1850BN, BT50B					
SB-1842BN, SB-2IN1, BT200K-2					
SB-1850BN, BT50B					
SB-1850BN, BT50B, BT200K-2					
SB-1850BN, BT50B, BT200K-2					
SB-1850BN, BT50B, BT200K-2					

Fits Competitor's Tools

Fits most other 18-gauge brad nailers

Bostitch® 16-Gauge Straight Finish Nails

Item #	Size	Point	Finish Style	Qty.	Fits Bostitch® Tools
SB16-1.25-1M	1-1/4"	Chisel	Coated	1000	
SB16-1.50-1M	1-1/2"	Chisel	Coated	1000	
SB16-1.75-1M	1-3/4"	Chisel	Coated	1000	
SB16-2.00-1M	2"	Chisel	Coated	1000	
SB16-2.25-1M	2-1/4"	Chisel	Coated	1000	
SB16-2.50-1M	2-1/2"	Chisel	Coated	1000	
SB16-1.25	1-1/4"	Chisel	Coated	2500	
SB16-1.50	1-1/2"	Chisel	Coated	2500	
SB16-1.75	1-3/4"	Chisel	Coated	2500	
SB16-2.00	2"	Chisel	Coated	2500	
SB16-2.25	2-1/4"	Chisel	Coated	2500	
SB16-2.50	2-1/2"	Chisel	Coated	2500	

FN 16250K-2, SB-1664FN

Fits Competitor's Tools

Craftsman: 18431

DuoFast: LFN748, LFNK764

Paslode: IM250 II, IM250F, Trimpulse, 3250-F16

Porter Cable: FN250, FN250A, FN250B


Stanley: SFN250K

DeWalt: D51275K, DC612, DCS6161

Hitachi: NT65A

Senco: Finish Pro 32

Bostitch® 18-Gauge 7/32" Narrow Crown Finish Staples

Item #	Wire Gauge	Crown	Leg	Finish	Qty.	Fits Bostitch® Tools
SX50351/2G	18	7/32"	1/2"	Coated	5000	 <p>S32SX, S32SX-BHF-2, T40SX-CT, SB-150SX, SB-21IN1, SB150SX-HD SX150K-1</p> <p>SB-150SX, SB150SX-HD, SX150K-1</p>
SX50355/8G	18	7/32"	5/8"	Coated	5000	
SX50353/4-1M	18	7/32"	3/4"	Coated	1000	
SX50353/4G	18	7/32"	3/4"	Coated	5000	
SX50357/8G	18	7/32"	7/8"	Coated	5000	
SX50351-1M	18	7/32"	1"	Coated	1000	
SX50351G	18	7/32"	1"	Coated	5000	
SX50351-3/8-1M	18	7/32"	1-3/8"	Coated	1000	
SX50351-1/8G	18	7/32"	1-1/8"	Coated	3000	
SX50351-3/16G	18	7/32"	1-3/16"	Coated	3000	
SX50351-1/4G	18	7/32"	1-1/4"	Coated	3000	
SX50351-3/8G	18	7/32"	1-3/8"	Coated	3000	
SX50351-1/2G	18	7/32"	1-1/2"	Coated	3000	

S32SX, S32SX-BHF-2, T40SX-CT, SB-150SX, SB-2IN1, SB150SX-HD SX150K-1

SB-150SX, SB150SX-HD, SX150K-1

Bostitch® 18-Gauge Brads

Item #	Size	Point	Finish Style	Qty.	Fits Bostitch® Tools
BT1300B-1M	5/8"	Chisel	Coated	1000	
BT1300B	5/8"	Chisel	Coated	3000	
BT1303B-1M	3/4"	Chisel	Coated	1000	
BT1303B	3/4"	Chisel	Coated	3000	
BT1309B-1M	1"	Chisel	Coated	1000	
BT1309B	1"	Chisel	Coated	3000	
BT1314B-1M	1-3/16"	Chisel	Coated	1000	
BT1314B	1-3/16"	Chisel	Coated	3000	
BT1332B-1M	1-1/4"	Chisel	Coated	1000	
SB-1842BN, SB-2IN1, BT35B, SB-1850BN, BT125K-2, BT200K-2					
SB-1842BN, SB-2IN1, BT35B, SB-1850BN, BT50B, BT125K-2, BT200K-2					
SB-1842BN, SB-2IN1, BT200K-2					

SB-1842BN, SB-2IN1, BT35B, SB-1850BN, BT125K-2, BT200K-2

SB-1842BN, SB-2IN1, BT35B, SB-1850BN, BT50B, BT125K-2, BT200K-2

Bostitch® 23-Gauge Pin

Item #	Size	Point Style	Finish	Qty.	Fits Bostitch® Tools
PT-2312-3M	1/2"	Chisel	Coated	3,000	
PT-2319-3M	3/4"	Chisel	Coated	3,000	
PT-2325-3M	1"	Chisel	Coated	3,000	
PT-2330-3M	1-3/16"	Chisel	Coated	3,000	

TU-216-2330

Fits Competitor's Tools

Fits Most: 23-gauge Pin Nailers



BUILT STRONGER. LASTS LONGER.


Lathing, Sheathing, whatever your application, Bostitch Staplers were designed to handle the abuse of hard core industrial environments. Hardened steel noses and caps, strong durable jam-free aluminum magazines and ergonomic over molded grips that provide for greater reach, Bostitch Construction staplers are built stronger to last longer.

STANLEY

BOSTITCH

www.BOSTITCH.com

438S2 Industrial Jam-Free Wide Crown Stapler



Available in: Coated

* See fastener list A page 32


Features:

- Jam-free magazine
- Power control valve adjusts power by 30%
- Molded rubber comfort grip designed to last longer

Tool Specifications:

- Tool Weight: 4.5 lbs. • Driving Power: 230 inch lbs. • Power to Weight Ratio: 51

450S2 Industrial Jam-Free Lathing Stapler



Available in: Coated

* See fastener list A page 32


Features:

- Jam-free magazine
- Power control valve adjusts power by 30%
- Molded rubber comfort grip designed to last longer

Tool Specifications:

- Tool Weight: 4.6 lbs. • Driving Power: 230 inch lbs. • Power to Weight Ratio: 50

438S4 Industrial Jam-Free Construction Stapler



Available in: Coated

* See fastener list B page 33

Features:

- Jam-free magazine
- Power control valve adjusts power by 30%
- Molded rubber comfort grip designed to last longer


Tool Specifications:

- Tool Weight: 4 lbs. • Driving Power: 230 inch lbs. • Power to Weight Ratio: 57

For more information on Contact or Sequential Tips, see inside back cover.

www.BOSTITCH.com 31

650S4 Industrial Jam-Free Construction Stapler



Available in: Coated

* See fastener list B page 33


Features:

- Jam-free magazine
- Molded rubber comfort grip designed to last longer
- Longer, narrower nose for increased visibility and ease in stapling corner blocks

Tool Specifications:

- Tool Weight: 4.5 lbs. • Driving Power: 340 inch lbs. • Power to Weight Ratio: 76

650S5 Industrial Jam-Free Construction Stapler



Available in: Coated

* See fastener list C page 33

Features:

- Jam-free magazine
- Molded rubber comfort grip designed to last longer
- Longer, narrower nose for increased visibility and ease in stapling corner blocks

Tool Specifications:

- Tool Weight: 4.5 lbs. • Driving Power: 340 inch lbs. • Power to Weight Ratio: 76

For more information on Contact or Sequential Tips, see inside back cover.

Bostitch® 16-Gauge 1" Wide Crown Construction Staples

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
16S2-12G	16	1"	1/2"	Coated	Chisel	18000	
16S2-16G	16	1"	21/32"	Coated	Chisel	15000	
16S2-19G	16	1"	3/4"	Coated	Chisel	13500	
16S2-22G	16	1"	7/8"	Coated	Chisel	12000	
16S2-25G	16	1"	1"	Coated	Chisel	10500	
16S2-28G	16	1"	1-1/8"	Coated	Chisel	9000	
16S2-31G	16	1"	1-1/4"	Coated	Chisel	9000	
16S2-38G	16	1"	1-1/2"	Coated	Chisel	7500	
16S2-44G	16	1"	1-3/4"	Coated	Chisel	6000	
16S2-50G	16	1"	2"	Coated	Chisel	4500	

438S2, 450S2, T40S2

450S2

450S2

Bostitch® 16-Gauge 1/2" Medium Crown Construction Staples

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
16S4-19G	16	1/2"	3/4"	Coated	Chisel	25650	438S4, 538S4
16S4-22G	16	1/2"	7/8"	Coated	Chisel	22800	438S4, 538S4
16S4-25G	16	1/2"	1"	Coated	Chisel	19950	438S4, 538S4, 650S4
16S4-28G	16	1/2"	1-1/8"	Coated	Chisel	17100	438S4, 538S4, 650S4
16S4-31G	16	1/2"	1-1/4"	Coated	Chisel	17100	438S4, 538S4, 650S4
16S4-34G	16	1/2"	1-3/8"	Coated	Chisel	14250	438S4, 538S4, 650S4
16S4-38G	16	1/2"	1-1/2"	Coated	Chisel	14250	438S4, 538S4, 650S4
16S4-41GA	16	1/2"	1-5/8"	Coated	Chisel	11400	650S4
16S4-44G	16	1/2"	1-3/4"	Coated	Chisel	11400	650S4
16S4-50G	16	1/2"	2"	Coated	Chisel	8550	650S4

Fits Competitor's Tools

Atro: 16NC

Hitachi: SM200 A/B

Fasco: F4P HD50

Dewalt: D51431

Bostitch® 16-Gauge 7/16" Medium Crown Construction Staples

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
16S5-32G	16	7/16"	1-1/4"	Coated	Chisel	19800	
16S5-35G	16	7/16"	1-3/8"	Coated	Chisel	16500	
16S5-38G	16	7/16"	1-1/2"	Coated	Chisel	16500	
16S5-40G	16	7/16"	1-5/8"	Coated	Chisel	16500	
16S5-45G	16	7/16"	1-3/4"	Coated	Chisel	13200	
16S5-50G	16	7/16"	2"	Coated	Chisel	13200	

438S5, 538S5, 650S5, T40S5, T50S5

650S5, T50S5

Fits Competitor's Tools

Dewalt: 51430

Paslode: 3150, 3200

Hitachi: N5008AB, N5008AC

Senco: SNS30, SNS45, SNS40XP, SNS40



BOSTITCH® CAP STAPLER

MODEL# SB150SLBC-1

10X FASTER

WHEN INSTALLING FELT, HOUSE WRAP,
AND FOAM BOARD INSULATION!



FELT



HOUSE WRAP



FOAM BOARD INSULATION



CAPS & STAPLES

STANLEY


BOSTITCH

www.BOSTITCH.com

SB150SLBC-1 BOSTITCH® Cap Stapler Kit



NEW!



Features:

- Uses wider 5/16" crown staples that help prevent puncture to the cap
- 1" to 1 1/2" maximum leg length of SL staple
- Tool-free adjustable depth of drive
- Easy loading of both caps and staples
- Lightweight, durable aluminum housing
- Kit includes: Tool, carry case, oil, allen wrench, 1000 Bostitch caps, and 1000 staples

Available in: Coated

* See fastener lists C-D page 21


Tool Specifications:

- Tool Weight: 4.7 lbs. • Driving Power: 300 inch lbs. • Power to Weight Ratio: 64

N66C-1 Industrial Siding Nailer



NEW!



SMOOTH RING SCREW

Available in: Plain, galvanized, stainless steel

* See fastener lists A-B pages 39-40

Features:

- BA • Lightweight magnesium housing for jobsite durability
- Adjustable depth of drive for precise countersink control
- Accepts wire welded and plastic inserted coil nails
- Soft rubber foot helps prevent damage to softer woods
- Adjustable exhaust directs air away from the user

Tool Specifications:

- Tool Weight: 4.4 lbs. • Driving Power: 510 inch lbs. • Power to Weight Ratio: 116

PN100K Industrial Impact Nailer Kit



Drives most common bulk finish, framing and timber nails

Features:

- BA • Ultra-efficient ported engine design for ultimate performance
- Ergonomic design for all day comfort
- Magnetic nose stabilizes nail for accurate placement
- Hardened steel nose for extreme durability

Tool Specifications:

- Tool Weight: 2.9 lbs. • Tool Length: 4-1/8" • Tool Width: 3-1/2" • Tool Height: 5-1/4"
- Operating Pressure: 70-100 PSI

For more information on Contact or Sequential Tips, see inside back cover.


www.BOSTITCH.com 35

SPECIALTY CONSTRUCTION

BOSTITCH

MIIFS Industrial Flooring Stapler

Accessories: MIIFOOT-KIT

Available in: Coated
* See fastener list D page 41**Features:**

- High-speed, mallet-actuated pneumatic operation increases productivity over manually-operated tools
- Precisely drives staples at proper angle and depth
- Extra-wide composite base plate for added stability

Tool Specifications:


- Tool Weight: 11.2 lbs. • Driving Power: 420 inch lbs. • Power to Weight Ratio: 38

MIIFN Industrial Flooring Cleat Nailer

Accessories: MIIFOOT-KIT



Flooring Cleats

Available in: Coated
* See fastener list G page 41**Features:**

- High-speed, mallet-actuated pneumatic operation increases productivity over manually-operated tools
- Precisely drives L-shaped flooring cleats at proper angle and depth
- Extra wide composite base plate for added stability

Tool Specifications:


- Tool Weight: 11.2 lbs. • Driving Power: 420 inch lbs. • Power to Weight Ratio: 38

MIIFOOT-KIT Factory-Finish Flooring Adapter**Features:**

- Recommended to help prevent damage to factory-finished flooring
- Extra-wide strike faces properly set flooring, eliminating need to strike flooring directly with hammer
- Integrated adjustable wheels reduce effort and improve productivity
- Kit includes all components to easily adapt to all MIIFS Flooring Staplers and MIIFN Flooring Nailers

MFN200 Industrial Manual Flooring Cleat Nailer


Flooring Cleats

Available in: Coated
* See fastener list G page 41**Features:**

- Single-blow design reduces user fatigue
- Rubber bumpers protect against marring factory-finished flooring
- Long-reach handle for added comfort

Tool Specifications:

- Tool Weight: 9.5 lbs. • Magazine Capacity: 200

LHF97125 20-Gauge Hardwood Flooring Stapler**NEW!**

Available in: Coated

* See fastener list F page 41

Features:


- Tool-free adjustable foot adapts to 1/4" to 1/2" engineered flooring*
- 20 Gauge fastener helps prevent damage to engineered flooring
- Lightweight magnesium housing
- Oil-free operation prevents stains on work surface
- Ultra-quiet rear exhaust
- Molded rubber comfort grip designed to last longer

*Always check with flooring manufacturers fastening recommendations

Tool Specifications:

- Tool Weight: 2.5 lbs. • Driving Power: 138 inch lbs. • Power to Weight Ratio: 55.2

For more information on Contact or Sequential Tips, see inside back cover.

SX150-BHF-2 18-Gauge Hardwood Flooring Stapler**NEW!**

Available in: Coated

* See fastener list C page 40

Features:

- Convertible design for added versatility:
 - Factory set for installation of Bruce Natural Reflections™ 5/16" flooring**
 - Convertible tool-free adjustable foot adapts to 1/4" to 7/16" engineered flooring*

- Lightweight magnesium housing
- Oil-free operation prevents stains on work surface
- Ultra-quiet rear exhaust
- Molded rubber comfort grip designed to last longer

*Always check with flooring manufacturers fastening recommendations


Tool Specifications:

- Tool Weight: 3.2 lbs. • Driving Power: 170 inch lbs. • Power to Weight Ratio: 53

** Bruce is a registered trademark of Triangle Pacific Corporation

MIIFN-KIT Industrial Flooring Cleat Nailer Conversion Kit

Flooring Cleats




Available in: Coated

Features:

- Includes everything required to easily convert the MIIFS Industrial Flooring Stapler to a MIIFN Industrial Flooring Cleat Nailer

CR1000E Industrial Electric Carpet Stapler Kit

20-Gauge Staple



Available in: Coated
Uses fastener CS50209/16DP

Features:

- Bottom load magazine for fast-loading and accurate fastener placement
- Narrow nose for accurate fastener placement
- Compact and lightweight for easy maneuverability

Tool Specifications:

- Tool Weight: 4.4 lbs. • Driving Power: 55 inch lbs. • Power to Weight Ratio: 12

US056-1 Industrial Pneumatic PowerCrown™ StaplerBostitch® PowerCrown™
Staples STCR5019 Series

* See fastener list on page 56

**Features:**


- Pneumatic operation for high production felt, insulation and other light-wire stapling applications
- Lightweight magnesium housing
- Oil-free operation prevents stains on work surface
- Ultra-quiet rear exhaust
- Molded rubber comfort grip designed to last longer

Tool Specifications:

- Tool Weight: 2.1 lbs. • Driving Power: 138 inch lbs. • Power to Weight Ratio: 65

MIII812CNCT Industrial Concrete Nailer

T-Nail



Available in: Hardened

* Find fastener list E on page 41

Features:

- High-speed pneumatic power increases productivity over other fastening methods
- Makes fastening of wood furring strips to concrete fast and easy

Tool Specifications:

- Tool Weight: 7.1 lbs. • Driving Power: 420 inch lbs. • Power to Weight Ratio: 60

For more information on Contact or Sequential Tips, see inside back cover.

Bostitch® 15' Wire Weld Coil Siding Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
AC3D080BDP	1-1/4" X .080	Smooth	Coated	Blunt Diamond	14000	N50C, N55C, N63CP, N64C, N66C
AC3DR080BDP	1-1/4" X .080	Ring	Coated	Blunt Diamond	14000	N50C, N55C, N63CP, N64C, N66C
C3R80BDG	1-1/4" X .080	Ring	Thickcoat™	Blunt Diamond	4200	N50C, N55C, N63CP, N64C, N66C
AC4D080BDP	1-1/2" X .080	Smooth	Coated	Blunt Diamond	14000	N50C, N55C, N63CP, N64C, N65CP, N66C
AC4DR080BDP	1-1/2" X .080	Ring	Coated	Blunt Diamond	14000	N50C, N55C, N63CP, N64C, N65CP, N66C
C4R80BDG	1-1/2" X .080	Ring	Thickcoat™	Blunt Diamond	4200	N50C, N55C, N63CP, N64C, N65CP, N66C
C4R90BDSS	1-1/2" X .090	Ring	Stainless	Blunt Diamond	3600	N50C, N55C, N63CP, N64C, N65CP, N66C
C4DCSBALG	1-3/8" X .100	Helix	Mechanically Galvanized	Ballistic	3600	N50C, N55C, N63CP, N64C, N65CP, N66C
AC5D080BDP	1-3/4" X .080	Smooth	Coated	Blunt Diamond	14000	N50C, N55C, N63CP, N64C, N65CP, N66C
AC5DR080BDP	1-3/4" X .080	Ring	Coated	Blunt Diamond	14000	N50C, N55C, N63CP, N64C, N65CP, N66C
C5R80BDG	1-3/4" X .080	Ring	Thickcoat™	Blunt Diamond	4200	N50C, N55C, N63CP, N64C, N65CP, N66C
C5R90BDSS	1-3/4" X .092	Ring	Stainless	Blunt Diamond	3600	N50C, N55C, N63CP, N64C, N65CP, N66C
AC6D090BDP	2" X .092	Smooth	Coated	Blunt Diamond	12000	N50C, N55C, N63CP, N64C, N65CP, N66C
C6P90BDG	2" X .092	Smooth	Thickcoat™	Blunt Diamond	3600	N50C, N55C, N63CP, N64C, N65CP, N66C
AC6DR090BDP	2" X .092	Ring	Coated	Blunt Diamond	12000	N50C, N55C, N63CP, N64C, N65CP, N66C
C6R90BDG	2" X .092	Ring	Thickcoat™	Blunt Diamond	3600	N50C, N55C, N63CP, N64C, N65CP, N66C
C6R90BDSS	2" X .092	Ring	Stainless	Blunt Diamond	3600	N50C, N55C, N63CP, N64C, N65CP, N66C
C7P90BDG	2-3/16" X .092	Smooth	Thickcoat™	Blunt Diamond	3600	N55C, N63CP, N64C, N65CP, N66C
C7R90BDG	2-3/16" X .092	Ring	Thickcoat™	Blunt Diamond	3600	N55C, N63CP, N64C, N65CP, N66C
C7R90BDSS	2-3/16" X .092	Ring	Stainless	Blunt Diamond	3600	N55C, N63CP, N64C, N65CP, N66C
C8P90BDG	2-1/2" X .092	Smooth	Thickcoat™	Blunt Diamond	3600	N63CP, N65CP, N64C, N66C
C8R90BDG	2-1/2" X .092	Ring	Thickcoat™	Blunt Diamond	3600	N63CP, N65CP, N64C, N66C
AC8DRSS	2-1/2" X .092	Ring	Stainless	Blunt Diamond	3600	N63CP, N65CP, N64C, N66C

Fits Competitor's Tools

Hitachi: NV65AH

Max: CN565

Senco: SCN45, SCN55S

Makita: AN611

Porter Cable: COIL200, COIL250

C4DCSBALG - Wood to Steel Fastening System

- Good for 14ga to 22ga Steel application
- Ballistic Point, Helix thread, mechanically galvanized
- Code Report: ICBO#ER-5426

Bostitch® 15" Plastic Collated Coil Siding Nails


Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
ACP5DSALM	1-3/4" X .099	Screw	Aluminum	Diamond	2400	N63CP, N65CP, N64C* N66C
ACP6DSALM	2" X .099	Screw	Aluminum	Diamond	2400	N63CP, N65CP, N64C* N66C
ACP6DR090BDG	2 X .090	Ring	Electro Galv	Diamond	3600	N64C*, N66C
ACP6DR090BDSS	2 X .090	Ring	Stainless	Diamond	3600	N64C*, N66C
ACP7DR090BDG	2-1/4 X .090	Ring	Electro Galv	Diamond	3600	N64C*, N66C
ACP8DR090BDSS	2-1/2 X .090	Ring	Stainless	Diamond	3600	N64C*, N66C

*With door conversion kit Item #112670

Fits Competitor's Tools

Hitachi: NV65AH Makita: AN611 Max: CN565 Senco: SCN55S

Bostitch® 15-1/2-Gauge 1/2" Crown Hardwood Flooring Staples

Item #	Wire Gauge	Crown	Length	Finish	Point Style	Qty.	Fits Bostitch® Tools
BCS1512	15-1/2	1/2"	1 1/2"	Coated	Chisel	9600	
BCS1514	15-1/2	1/2"	1 3/4"	Coated	Chisel	7728	
BCS1516	15-1/2	1/2"	2"	Coated	Chisel	7728	

Bostitch® T-Nails

Item #	Size	Shank	Finish	Point Style	Qty.	Fits Bostitch® Tools
BT483XH-2.5M	9/16" X .097	Hardened	Smooth	Diamond	2500	
BT484GXH-2.5M	9/16" X .097	Hardened/Coated	Smooth	Diamond	2500	
BT461H-2.5M	5/8" X .097	Stiff	Smooth	Diamond	2500	
BT461XH-2.5M	5/8" X .097	Hardened	Smooth	Diamond	2500	
BT488XH-2.5M	3/4" X .097	Hardened	Smooth	Diamond	2500	
BT490XH-2.5M	1-1/8" X .097	Hardened	Smooth	Diamond	2500	
BT499H-2.5M	1-3/8" X .097	Hardened	Smooth	Diamond	2500	
BT493XH-2.5M	1-3/8" X .097	Stiff	Smooth	Diamond	2500	
BT471XH-2.5M	1-1/2" X .097	Hardened	Smooth	Diamond	2500	
BT481H-2.5M	2-1/4" X .097	Stiff	Smooth	Diamond	2500	

Bostitch® 20-Gauge 3/16" Crown Staple

Item #	Wire Gauge	Crown	Leg	Finish	Qty.	Point Style	Fits Bostitch® Tools
SB97-1GLS	20	3/16"	1"	Coated	5000	Chisel	S3297-LHF-2 LHF97125

Fits Competitor's Tools

DuoFast: ENC-5418A

Bostitch® "L" Shaped Hardwood Flooring Cleats

Item #	Description	Length	Finish	Quantity Per Box	Fits Bostitch® Tools
FLN-150	Flooring Cleat	1-1/2"	Coated	1000	MIIFN, MFN200
FLN-200	Flooring Cleat	2"	Coated	1000	MIIFN, MFN200

Fits Competitor's Tools

Porter-Cable: FCN200


Powernail: 345, 45

Primattech: P210, H300, H330, Q500

Senco: SHF50, SHF15, SHF10

For more information on Contact or Sequential Tips, see inside back cover.

Bostitch® 18-Gauge 7/32" Narrow Crown Finish Staples

Item #	Wire Gauge	Crown	Leg	Finish	Qty.	Fits Bostitch® Tools
SX50351/2G	18	7/32"	1/2"	Coated	5000	
SX50355/8G	18	7/32"	5/8"	Coated	5000	
SX5035-3/4-1M	18	7/32"	3/4"	Coated	1000	
SX50353/4G	18	7/32"	3/4"	Coated	5000	
SX50357/8G	18	7/32"	7/8"	Coated	5000	
SX5035-1-1M	18	7/32"	1"	Coated	1000	
SX50351G	18	7/32"	1"	Coated	5000	
SX50351-1/8G	18	7/32"	1-1/8"	Coated	3000	
SX50351-3/16G	18	7/32"	1-3/16"	Coated	3000	
SX50351-1/4G	18	7/32"	1-1/4"	Coated	3000	
SX5035-1-3/8-1M	18	7/32"	1-3/8"	Coated	1000	
SX50351-3/8G	18	7/32"	1-3/8"	Coated	3000	

Selecting Your new Bostitch® Compressor.

After spending months in the field working with professional contractors like you, our mission was clear: Develop a line of air compressors that delivers unsurpassed durability, performance and convenience.

Patented pump technology, oversize pumps and high efficiency motors deliver the highest levels of performance in even the most demanding applications.

Integrated control panels, multiple air outlets and durable easy to use drain cocks offer the professional user the ultimate in air compressor convenience.

RECOMMENDED TOOL CAPACITY

CAP6080WB	CAP2080WB	CWC200ST
FR FR	FR FR	FR
RN RN RN RN	RN RN RN	RN RN
FN FN FN FN FN FN	FN FN FN FN	FN FN FN FN
CAP2560OL	CAP2060P	CAP1516
FR	FR	
RN RN	RN	
FN FN FN	FN FN FN	FN

COMPRESSOR APPLICATION GUIDE

Other Pneumatic Tools

	CAP2060P CAP1516	CAP2560-OL CWC200ST	CAP2080WB CAP6080WB
Sealant Dispenser	✓	✓	✓
Blow Gun	✓	✓	✓
Sandblaster (Cup)	✓	✓	✓
Air Brush	✓	✓	✓
Grease Gun	✓	✓	✓
Impact Wrench		✓	✓
Air Chisel		✓	✓
Sander (Low Speed)		✓	✓
Sander (High Speed)		✓	✓
Drill		✓	✓
Ratchet			✓

✓ RECOMMENDED

Bostitch® Air Compressors...
Proven air quality • Proven durability
Proven performance

Ways to Improve Your Bostitch® Compressor Performance

Air

For best results, use regulated air and never use more air pressure than is necessary to drive the fasteners. Most Bostitch® tools operate best between 80 and 95 PSI. If the fastener sets well at 85 PSI, use that pressure. Keep the airline as short as possible to prevent a pressure drop from the Bostitch® compressor to the tool.

Water

As air compressors operate, they generate condensation which needs to be drained regularly. In very hot humid weather, you may need to drain it several times each day. In dryer climates, once per day should be enough. Open the drain valves near the bottom of the tank while the tank is under pressure to relieve moisture. Then close the valve carefully. Never twist the valves with pliers. Just tighten them until the air stops leaking.

Electric

Don't use an extension cord to run your Bostitch® compressor if at all possible, instead use a longer airline. If you must operate your Bostitch® compressor in a remote area, use a heavy gauge extension cord as follows.

- 25 Feet - Use 14-Gauge Cord
- 50 Feet - Use 12-Gauge Cord
- 100 Feet - Use 10-Gauge Cord
- 150 Feet - Use 8-Gauge Cord

Oil

Bostitch manufactures both oil-free and oil-lubricated compressors. For oil-lubricated compressors, the pump oil level should be checked daily prior to operation. The proper oil level should be maintained to provide peak pump performance.

Bostitch Oil-Free compressors do not require oil.



CAP6080WB 6 HP Gas-Powered Wheelbarrow Air Compressor

Features:

- Powerful Robbins Subaru 6 HP engine with advanced chain driven overhead cam technology for increased power and longer life
- Cast iron pump cylinder for extreme durability
- Dual air outlets for running multiple tools
- Pump oil sight window for fast and clean oil level checks

Tool Specifications:

- Horsepower: 6 HP
- Tank Capacity: 8 Gallons
- Pump Type: Oil-Lubricated
- Displacement: 19.3 CFM
- Air Delivery: @ 40 PSI 14.6 CFM
@ 90 PSI 13.4 CFM
- Operating Pressure: 0-135 PSI
- Weight: 145 lbs.



NEW!

CAP25600L 2.5 Peak HP Oil-Lubricated Pancake Air Compressor

Features:

- Powerful 2.5 Peak HP 15 amp industrial induction motor
- Cast iron pump cylinder for extreme durability
- Dual air outlets for running multiple tools
- Synthetic pump oil for low temperature operation

Tool Specifications:

- Horsepower: 2.5 Peak, 1.5 running
- Tank Capacity: 6 Gallons
- Pump Type: Oil-Lubricated
- Air Delivery: @ 40 PSI 4.9 CFM
@ 90 PSI 3.6 CFM
- Operating Pressure: 0-125 PSI
- Weight: 50 lbs.



NEW!

CAP2080WB 2 Peak HP Electric Wheelbarrow Air Compressor

Features:

- Powerful 2 Peak HP 15 amp industrial induction motor
- Cast iron pump cylinder for extreme durability
- Dual air outlets for running multiple tools
- Pump oil sight window for fast and clean oil level checks

Tool Specifications:

- Horsepower: 2 HP peak, 1.5 running
- Tank Capacity: 8 Gallons
- Motor Type: Induction
- Pump Type: Oil-Lubricated
- Air Delivery: @ 40 PSI 7.6 CFM
@ 90 PSI 6.5 CFM
- Operating Pressure: 0-135 PSI
- Weight: 135 lbs.



NEW!

CAP2060P 2 Peak HP Oil-Free Contractor Compressor

Features:

- Powerful 2 Peak HP ultra-efficient 10.5 amp induction motor
- High-efficiency oil-free pump eliminates maintenance
- Compact design for maximum portability and shop storage
- High volume 6-gallon tank for multi-tool use

Tool Specifications:

- Horsepower: 2 HP peak, 1.6 Running
- Tank Capacity: 6 Gallons
- Motor Type: Induction
- Pump Type: Oil-Free
- Air Delivery: @ 40 PSI 3.4 CFM
@ 90 PSI 2.7 CFM
- Operating Pressure: 0-125 PSI
- Weight: 51 lbs.



NEW!

CWC200ST 3 Peak HP Oil-Lubricated Stack Tank Air Compressor

Features:

- Powerful 3 Peak HP 15 amp industrial induction motor
- Cast iron pump cylinder for extreme durability
- Dual air outlets for running multiple tools
- Synthetic pump oil for low temperature operation

Tool Specifications:

- Horsepower: 3 Peak, 2.2 running
- Tank Capacity: 4 Gallons
- Pump Type: Oil-Lubricated
- Air Delivery: @ 40 PSI 5.1 CFM
@ 90 PSI 4.0 CFM
- Operating Pressure: 0-125 PSI
- Weight: 60 lbs.



NEW!

CAP1516 Trim Air 1.5 Peak HP Oil-Free Contractor Compressor

Features:

- 1.5 Peak HP ultra-efficient 8 amp induction motor
- High-efficiency oil-free pump eliminates maintenance
- Compact design for maximum portability and shop storage
- Internal 1.6-gallon reserve tank

Tool Specifications:

- Horsepower: 1.5 HP peak, 1.1 Running
- Tank Capacity: 1.6 Gallons
- Pump Type: Oil-Free
- Air Delivery: @ 40 PSI 2.7 CFM
@ 90 PSI 1.8 CFM
- Operating Pressure: 0-125 PSI
- Weight: 19.5 lbs.



NEW!

CPACK250 *Compressor / Finish Nailer Combo Kit***Includes:**

- SB-1664FN 16-gauge 2-1/2" finish nailer
- CAP2060P 2.0 HP (Peak) oil-free contractor compressor
- 3/8" x 25' heavy duty airline with MPT fittings
- MPT quick connect coupling
- FPT quick connect coupling
- MPT quick connect plug
- FPT quick connect plug
- Tire inflator chuck
- Thread sealant tape

NEW!**CPACK265** *2-Tool / Finish & Trim Combo Kit***Includes:**

- SB-1664FN 16-gauge 2-1/2" finish nailer
- SB-1842BN 18-gauge 1-5/8" brad nailer
- CAP2060P 2.0 HP (Peak) oil-free contractor compressor
- 3/8" x 25' heavy duty airline with MPT fittings
- MPT quick connect coupling
- FPT quick connect coupling
- MPT quick connect plug
- FPT quick connect plug
- Tire inflator chuck
- Thread sealant tape

NEW!**CPACK270** *Dual Action Finish Tool & Compressor Combo Kit***Includes:**

- SB-1664FN 16-gauge 2-1/2" finish nailer
- SB-2IN1 combination brad nailer/finish stapler
- CAP1516 1.5 HP (Peak) oil-free contractor compressor
- 3/8" x 25' heavy duty airline with MPT fittings
- MPT quick connect coupling
- FPT quick connect coupling
- MPT quick connect plug
- FPT quick connect plug
- Tire inflator chuck
- Thread sealant tape

NEW!**CPACKN80** *Framing Nailer Combo Kit***Includes:**

- N80 industrial stick framing nailer
- CAP2560OL 2.5 HP (peak) oil-lubricated contractor compressor
- 3/8" x 25' heavy duty airline with MPT fittings
- MPT quick connect coupling
- FPT quick connect coupling
- MPT quick connect plug
- FPT quick connect plug
- Tire inflator chuck
- Thread sealant tape


NEW!**CPACK50** *Heavy Duty Airline Kit***Includes:**

- 3/8" x 50' heavy duty airline with MPT fittings
- MPT quick connect coupling
- FPT quick connect coupling
- MPT quick connect plug
- FPT quick connect plug
- Tire inflator chuck
- Thread sealant tape
- Pneumatic tool lubricant
- Pistol grip blow gun




THERE'S A
BOSTITCH®
COMPRESSOR
FOR EVERY JOB,
BIG OR SMALL.



Airline Hoses

Item Number	Description	
BC590A	3/8" x 50' Industrial 2 Ply Braided Rubber Airline w/ crimped-on Industrial Series Fittings	
BC590C	3/8" x 50' Lightweight Flexible Vinyl Airline w/ crimped-on Industrial Series Fittings	



Dial-A-Depth Fastener Control Kits

Item Number	Description	
DC3	N80C / N86C Coil Framing Nailer Dial-A-Depth	
DC6	RN45 Roofing Nailer Dial-A-Depth	


Miscellaneous Kits

Item Number	Description	
112670	N64C Aluminum Feed Door Kit	
CNTK1	Contact Trigger Conversion Kit	
CNTK2	Contact Trigger Conversion Kit	
MCN-KIT	Metal Connector Kit for N88RH	
MIII FOOT-KIT	Large Foot Kit for MIII FS/FN	
N62-MAGKIT	N62 Magazine Assembly	
SEQ1	Sequential Trigger Conversion Kit (For tools produced prior to 11/96)	
SEQ4	Sequential Trigger Conversion Kit	
SEQ5	Sequential Trigger Conversion Kit	
TVA11	Trigger Valve Kit	
TVA6	Trigger Valve Kit	
VSA2	Vinyl Siding Adapter for RN45 Roofing Nailer	
VSA4	Vinyl Siding Adapter for RN46	

Lubricants and Oils

Item Number	Description	Size	
BC601	Industrial Pneumatic Tool Lubricant	4 Ounces	
BC602	Industrial Pneumatic Tool Lubricant	1 Pint	
BC603	Industrial Cold Weather Pneumatic Tool Lubricant	1 Pint	
BC604	Industrial Pneumatic Tool Lubricant	1 Quart	
851871	Air Compressor Oil	1 Quart	

O-Ring Kits

Item Number	Description	
N88ORK	N88 O-Ring Kit	
ORK1	T40, T50, N50FN, N60FN O-Ring Kit	
ORK4	N12 O-Ring Kit	
ORK6	MIII O-Ring Kit	
ORK8	N16 O-Ring Kit	
ORK10	S32, BT35, BT50 O-Ring Kit	
ORK11	N80, N90 O-Ring Kit	
ORK12	N63, N64, SDCN14 O-Ring Kit	
ORK13	RN45 O-Ring Kit	

Bumper Kits

Item Number	Description	
BK2	MIIIFS Bumper Kit	
BK3	N70 / N80 Bumper Kit	
BK4	N12 / N55 Bumper Kit	
BK6	N50FN, N60FN, T40, T50 Bumper Kit	
BK7	T40 & T50 Wide Crown Bumper Kit	
BK11	RN45 Bumper Kit	
BK12	N63CP / N64C Bumper Kit	
N88BK	N88 Bumper Kit	

Performance and Rebuild Kits

* Performance kits contain all the necessary parts to return your Bostitch® tool to like-new performance

Item Number	Description
BOSCAP-RK	Bostitch Cap Rebuild Kit
BT125-RK	BT125 Rebuild Kit
BT200-RK	BT200 Rebuild Kit
FN16250-RK	FN16250 Rebuild Kit
MIIISK	MIII Rebuild Kit
N62-RK	N62 Rebuild Kit
N66C-RK	N66C Rebuild Kit
RN46-RK	RN46 Rebuild Kit
SX150-RK	SX150 Rebuild Kit



851462K
Light Series
Connector Plug
1/4"
MPT



851683K
Light Series
Connector Plug
1/4"
FPT



86504
Industrial Series
Regulator w/ Gauge
3/8"
NPT



89403
Industrial Series Mini
Regulator w/ Gauge
1/4"
NPT



86517K
Industrial Series
Connector Plug
3/8"
MPT



86522K
Industrial Series
Connector Plug
1/4"
MPT



851870
Combination
Regulator
& Air Filter w/ Gauge
1/4"
FPT



86503
Industrial Series
Air Filter
3/8"
NPT



86546K
Industrial Series
Connector Plug
3/8"
FPT



851461K
Light Series Quick
Coupler
3/8"
MPT



851460K
Solid Brass
Tee Fitting
3/8"
FPT



851869
Solid Brass
Tee Kit
3/8"
NPT



86551K
Industrial Series
Quick Coupler
3/8"
FPT



87103K
Industrial Series
Quick Coupler
3/8"
MPT



850541K
Industrial
Blow Gun
1/4"
FPT



851397K
Tire Inflator
Chuck
1/4"
FPT



851684K
Light Series Quick
Coupler
1/4"
FPT



86523K
Industrial Series
Quick Coupler
1/4"
MPT



852058K
Thread Sealant Tape



852059K
3-Way
Manifold
1/4"
FPT



851393K
3/8" Airline
Splicing Kit

PC2K *PowerSlam™ PowerCrown™ Hammer Tacker***Features:**

- BA** • Exclusive long reach knuckle saver handle with comfortable non-slip grip
- BA** • High capacity quick-load magazine holds up to 2 full sticks of staples, minimizing reloading
- BA** • Die cast frame and through hardened steel components for extreme durability
- BA** • Jam-free design for maximum productivity

Tool Specifications:

- Tool Weight: 2.25 lbs.
- Staple Capacity: 168

NEW!Bostitch® PowerCrown™
Staples STCR5019 Series

* See fastener list on page 56

H30-8D6 *PowerCrown™ Hammer Tacker w/Holster***Features:**

- BA** • Die cast frame and through hardened steel components for extreme durability
- Quick-load magazine
- Tool-free jam clearing
- Kit includes quick draw holster and 1000 3/8" staples

Tool Specifications:

- Tool Weight: 2.25 lbs.
- Staple Capacity: 84

Bostitch® PowerCrown™
Staples STCR5019 Series

* See fastener list on page 56

H30-8 *PowerCrown™ Hammer Tacker***Features:**

- BA** • Die cast frame and through hardened steel components for extreme durability
- Quick-load magazine
- Tool-free jam clearing

Tool Specifications:

- Tool Weight: 1.8 lbs.
- Staple Capacity: 84

Bostitch® PowerCrown™
Staples STCR5019 Series

* See fastener list on page 56

H30-6 *PowerCrown™ Light Wire Hammer Tacker***Features:**


- BA** • Die cast frame and through hardened steel components for extreme durability
- Quick-load magazine
- Tool-free jam clearing

Tool Specifications:

- Tool Weight: 1.7 lbs.
- Staple Capacity: 84

Bostitch® Light Wire
PowerCrown™ Staples
STCR2619 Series

* See fastener list on page 56

PC4000 *Heavy-Duty PowerCrown™ Tacker*Bostitch® PowerCrown™
Staples STCR5019 Series


* See fastener list on page 56

Features:

- BA** • All-steel construction
- BA** • Patented, easy squeeze design
- BA** • Jam-free design

Tool Specifications:

- Tool Weight: 2.2 lbs. • Staple Capacity: 84

PC4000-OC2 *Heavy-Duty Outward Clinch Tacker*Bostitch® PowerCrown™
Staples STCR5019 Series

* See fastener list on page 56

Features:

- BA** • Patented, easy squeeze design
- BA** • Jam-free design
- Unique design turns staple legs outward

Tool Specifications:

- Tool Weight: 2.2 lbs. • Staple Capacity: 84

PC3000-OC2 *Outward Clinch Tacker*Bostitch® Light Wire
PowerCrown™ Staples
STCR2619 Series

* See fastener list on page 56

Features:

- BA** • Patented, easy squeeze design
- BA** • Jam-free design
- BA** • Unique design turns staple legs outward

Tool Specifications:

- Tool Weight: 2.2 lbs. • Staple Capacity: 84

P6C-8 Industrial PowerCrown™ Stapling Plier



Features:

- Case hardened steel components for extreme durability
- Ergonomic design and patented easy squeeze bearing system for ease of use
- Patented bearing system
- Quick-load magazine

Tool Specifications:

- Tool Weight: 1 lbs.
- Staple Capacity: 84
- Throat Depth: 2.5"

Bostitch® PowerCrown™
Staples STCR5019 Series



* See fastener list on page 56

P3-CHROME Heavy Duty Light Wire Stapling Plier



Features:


- Case hardened steel components for extreme durability
- Ergonomic design for ease of use
- Jam-free design for maximum productivity
- Quick-load magazine

BA

Tool Specifications:

- Tool Weight: .5 lbs.
- Staple Capacity: 208
- Throat Depth: 2.5"

Bostitch® Light Wire Staples
SP19 1/4 Staple



* See fastener list on page 56

P6C-6 Industrial PowerCrown™ Light Wire Stapling Plier



Features:

- Case hardened steel components for extreme durability
- Ergonomic design and patented easy squeeze bearing system for ease of use
- Quick-load magazine

BA

Bostitch® Light Wire
PowerCrown™ Staples
STCR2619 Series



* See fastener list on page 56

Tool Specifications:

- Tool Weight: 1 lbs.
- Staple Capacity: 84
- Throat Depth: 2.5"

P7 Industrial Collated Ring Plier



Features:

- Case hardened steel components for extreme durability
- Easy one-hand operation
- Automatic feed system for ease of use and productivity

16-Gauge C-Rings



* See fastener list on page 56

Tool Specifications:

- Tool Weight: .8 lbs.
- Staple Capacity: 50 rings



Bostitch® Manual Fasteners

Item #	Description	Wire Gauge	Crown	Length	Qty.	Fits Bostitch® Tools
STCR50191/4-1M	Heavy Duty PowerCrown™ Staple	.050" x .019"	7/16"	1/4"	1000	PC1000, PC2000, PC4000, PC5000, PC2K H30-8, P6C-8, USO56-1
STCR50191/4-6M	Heavy Duty PowerCrown™ Staple	.050" x .019"	7/16"	1/4"	6000	PC1000, PC2000, PC4000, PC5000, PC2K H30-8, P6C-8, USO56-1
STCR50195/16-5M	Heavy Duty PowerCrown™ Staple	.050" x .019"	7/16"	5/16"	5000	PC1000, PC2000, PC4000, PC5000, PC2K H30-8, P6C-8, USO56-1
STCR50193/8-1M	Heavy Duty PowerCrown™ Staple	.050" x .019"	7/16"	3/8"	1000	PC1000, PC2000, PC4000, PC5000, PC2K H30-8, P6C-8, USO56-1
STCR50193/8-5M	Heavy Duty PowerCrown™ Staple	.050" x .019"	7/16"	3/8"	5000	PC1000, PC2000, PC4000, PC5000, PC2K H30-8, P6C-8, USO56-1
STCR50191/2-1M	Heavy Duty PowerCrown™ Staple	.050" x .019"	7/16"	1/2"	1000	PC1000, PC2000, PC3000, PC4000, PC5000, PC3000, USO56-1
STCR50191/2-4M	Heavy Duty PowerCrown™ Staple	.050" x .019"	7/16"	1/2"	4000	PC1000, PC2000, PC4000, PC5000, USO56-1
STCR50199/16-4M	Heavy Duty PowerCrown™ Staple	.050" x .019"	7/16"	9/16"	4000	USO56-1, PC4000
STCR26191/4	Light Duty PowerCrown™ Staple	.026" x .019"	7/16"	1/4"	5000	T5-6, H30-6, P6C-6
STCR26195/16	Light Duty PowerCrown™ Staple	.026" x .019"	7/16"	5/16"	5000	T5-6, H30-6, P6C-6
STCR26193/8	Light Duty PowerCrown™ Staple	.026" x .019"	7/16"	3/8"	5000	T5-6, P6C-6, H30-6
STCR26191/2	Light Duty PowerCrown™ Staple	.026" x .019"	7/16"	1/2"	5000	T5-6
SP191/4	Light Wire Staple	.019"	3/8"	1/4"	5000	P3-IND, P3-Chrome
RING616G50	Galvanized C Ring	16-Gauge		11/16"	2500	P7
RING616SS50	Stainless Steel C Ring	16-Gauge		11/16"	2500	P7



STANLEY

BOSTITCH®

SERVICE AND REPAIR

WARRANTY SERVICE

Bostitch warrants to the original retail purchaser that the product is free from defects in material and workmanship, and agrees to repair or replace, at Bostitch's option, any defective product within 1 year from the date of purchase.

NATIONAL FACTORY SERVICE CENTER

- Tools can be sent to our Factory Owned Service Center in Louisville, KY.
- Repair and return within 5 working days.
- Factory trained service technicians.
- Send tools to: Bostitch Repair Center
13126 Forrest Center Court
Louisville, KY 40223
502-244-0256

300 INDEPENDENT AUTHORIZED SERVICE CENTERS

- Local businesses that specialize in service and repairs of your Bostitch tools.
- Trained service technicians.
- To find your nearest independent service center, call 800-556-6696 or Visit our Website Service Directory at www.BOSTITCH.com.

SERVICE PLUS DEALERS

- Service Plus Dealers located throughout the country who will send your tools to our Louisville Service Center.
- Tools repaired and returned to your "Service Plus" dealer within 5 working days.
- To find your nearest "Service Plus Dealer", call 800-556-6696.

For more service locations visit us at www.BOSTITCH.com

Authorized Warranty Service Centers

AK B&B Tool Supply Incorporated 101 N. Post Road Anchorage, AK 99501 (907) 276-7714	C & W Tool and Equipment 1400 South Main Street Little Rock, AR 72202 (501) 374-1911	Alpine Power Equipment 2907 Lake Forest Road Tahoe City, CA 96145 (530) 583-0600	Power Equipment Company 12525 Monterey Road San Martin, CA 95046 (408) 683-9555	Central Colorado Tool Service 204 Mount View Ln #13 Colorado Springs, CO 80907 (719) 635-8615	Utility Electric Service Inc. 53 Main Street Hartford, CT 06106 (860) 246-7271
MJ Rentals 2005 Richardson Highway North Pole, AK 99705 (907) 488-9407	Carr's Tool & Equip. Rental 1467 East Kentucky St. Morritlon, AR 72110 (501) 354-0846	Bay Area Floor Machine 652 B Charles Street San Jose, CA 95112 (408) 971-1230	Rodeo Small Engine 516 First Street Rodeo, CA 94572 (510) 799-0138	Circle Service, LLC 2089 South Zuni Street Denver, CO 80223 (303) 936-8036	Watertown Tool Repair 28 Main Street Oakville, CT 06779 (203) 596-1344
Precision Sharpening & Repair Service 11697 North Tongass Hwy Ketchikan, AK 99901 (907) 247-8732	Harrison Tool Room LLC 1306 Hwy 62-65N Harrison, AR 72602 (870) 365-0406	Bucknall Power Tool Service, inc. 11910 Vose St. North Hollywood, CA 91605 (818) 765-0228	Speedy Appliance Service 22747 Ventura Blvd. Woodland Hills, CA 91364 (818) 225-7774	Greeley Electric Repair, Inc. 2509 1/2 8th Avenue Greeley, CO 80631 (970) 352-1961	DE Grand Rental Station 803-G Rehoboth Ave. Rehoboth Beach, DE 19971 (302) 227-7368
AL AJS Small Engine/ Greenbriar 1313 Grace St. NW Huntsville, AL 35801 (256) 551-0799	Tool Service Co. 5732 Wheeler Ave. Fortsmith, AR 72901 (479) 648-3125	C.E.S L. Forest 22500 Muirlands Blvd. Ste B Lake Forest, CA 92630 (949) 586-9479	Stockton Service Station Equip. Co. 808 N. Union St. Stockton, CA 95205 (209) 464-8333	Professional Tool Services 2420 I 70 Business Loop Grand Junction, CO 81501 (970) 242-1224	FL A1 Tool Repair 1851 Blanding Boulevard Middleburg, FL 32068 (904) 282-3707
Alabama Jack Co., Inc. 1140 5th Ave, North Birmingham, AL 35203 (205) 251-8156	AZ American Machinery Works 4415 South 32nd Street Phoenix, AZ 85040 (602) 268-1266	C.E.S- Concord 1170-G Burnett Avenue Concord, CA 94520 (925) 827-1011	Universal Tool Service 21804 S. Vermont Ave. Torrance, CA 90502 (310) 328-2121	Pueblo West Rental Center 579 E. Enterprise Drive Pueblo West, CO 81007 (719) 647-2071	A1A Small Engine & Equipment 424 S. Dixie Hwy E. Pompano Beach, FL 33060 (954) 946-5044
Big John's Tree Service, Inc. 8243 Twin Beech Rd. Hwy 44 Fairhope, AL 36532 (251) 928-7659	Arizona Armature Service 4641 South 33rd Street Phoenix, AZ 85040 (602) 276-4434	C.E.S.-Covina 612 S. Shopper Lane Covina, CA 91723 (626) 915-4935	Unlimited Tool Rpr. & Fab. 131 S. Maple Ave., Suite #2 South San Francisco, CA 94080 (650) 589-2941	Tools For Living 0560 Highway 133 Carbondale, CO 81623 (970) 963-8776	Able Supply & Services 502 36th Street West Bradenton, FL 34205 (941) 746-2958
Power Tool Supply & Repair 1713 Creighton Ave, S.E. Decatur, AL35601 (256) 350-0079	Prescott Power Tool 1050 Willow Creek Rd, Ste 1 Prescott, AZ 86301 (928) 445-2628	California Tool Warranty 200 South Cotta Court Visalia, CA 93292 (559) 622-9301	Valley Tool Repair 4131-B Power Inn Road Sacramento, CA 95826 (916) 737-6300	CT Baltimore Electronics Inc. 5 Manila Avenue Hamden, CT 06514 (203) 248-7553	Appliance Doctors 3166 S.E. Dixie Hwy Stuart, FL 34997 (772) 287-6437
Professional Tool Repair 1551 Rex Street Montgomery, AL 36107 (334) 263-6776	Western Tool Inc. 702 S. Campbell Tucson, AZ 85719 (520) 884-0504	Dave's Tool Service 780-A South Milliken Ave Ontario, CA 91761 (909) 605-6558	Wisdom Tool Repair, Inc. 2238 South Ritchey Street Santa Ana, CA 92705 (714) 432-1601	Gottier Small Engine Repair 427 Tooland Stage Road Tolland, CT 06084 (860) 875-2802	Circle Service of Florida, Inc. 1001 S.E 12th Court STE C Cape Coral, FL 33990 (239) 772-1133
AR Air Compressor Services 801 Dyer Street Springdale, AR 72765 (479) 756-5938	CA ABC Repair 69 Cristich Lane Campbell, CA 95008 (408) 378-1075	Jim Klippel Tool Repair 424 Laguna St. Santa Barbara, CA 93101 (805) 963-0020	CO A Pro Tool, Inc 1950 W. 13th Avenue, #2 Denver, CO 80204 (303) 623-3743	New Haven Power Tool 50 United Drive Unit N North Haven, CT06473 (203) 985-8327	Contractor's Tool Service, Inc. 5409 Edgewater Drive Orlando, FL 32810 (407) 292-2808
B & J Air Compressor Co. 6805 East Highland Jonesboro, AR 72401 (870) 935-4828	ACME Tool Repair 452 Moore Lane Healdsburg, CA 95448 (707) 431-0444	Mart's Appliance Service 743 E. Valley Parkway Escondido, CA 92025 (760) 745-7711	Action Shop Service, Inc. 2412 Access Road Rifle, CO 81650 (970) 625-0943	Tibby's Electric Motor Service 40 Taylor Avenue Bethel, CT 06801 (203) 748-4694	Davron Inc. 10724 S.W. 188th Street Miami, FL 33157 (305) 278-7690

For more service locations visit us at www.BOSTITCH.com

For more service locations visit us at www.BOSTITCH.com

Authorized Warranty Service Centers

Dixie Power Equipment 1401 Allendale Road, Suite C West Palm Beach, FL 33405 (561) 689-4468	Quality Repair Center 1035 W. Landcaster Road Unit #16 Orlando, FL 32809 (321) 303-7887	GA Al's Air Compressor Service 2028 Old Covington Hwy, Suite C Conyers, GA 30012 (770) 922-1273	Tool Service Center 302 Walton Way Augusta, GA 30901 (706) 724-4803	Service Center Plus 480 N. Utah Ave Idaho Falls, IA 83402 (208) 524-7362	Professional Elec. Motor Repair 1807 South Morris Ave. Bloomington, IL 61701 (309) 829-3552
Florida Tool Warranty, Inc. 4509 Orient Road Suite D Tampa, FL 33610 (813) 246-5375	Rent All Equip. Sales Inc. 8819 Arlington Expressway Jacksonville, FL 32211 (904) 725-0544	APC Equipment Services 329 Bell Park Drive Woodstock, GA 30188 (770) 591-0463	Tool Service Co. Inc. 249 Alexander St. N.W. Atlanta, GA30313 (404) 524-4249	IL Air-Pneumatic Tool Repair 220 N. Water Street Rockford, IL 61107 (815)965-1130	Rent-All and Sales, Inc. 8460 Express Drive Marion, IL 62959 (618) 993-5044
Greenbriar Mechanical Services 515 B Lovejoy Road Ft. Walton Beach, FL 32548 (850) 243-3062	S & S Mowers Inc. 681 SW State Rd. 47, Ste 110 Lake City, FL 32025 (386) 755-2957	Dowd's Fix It Shop 148 Ponderosa Road Lyons, GA 30436 (912) 526-3697	IA Blink Electric Motors Inc. Rear 116 N 1st Ave Marshalltown, IA 50158 (641) 752-3036	Bud & Ray's Repair 701 N. 5th Street Quincy, IL 62301 (217) 223-2955	Superior Small Engine Repair, Inc. 15806 Annico Dr. Unit #8 Homer Glen, IL 60441 (708) 645-0127
LC Electric Motor Service Inc. 117 Industrial Blvd. Pensacola, FL 32505 (850) 476-7655	Southern Electric Co. 510 N. Parramore Ave Orlando, FL 32801 (407) 841-8824	F & D Tool Service & Supply 132 A Richardson Dr. Dalton, GA 30721 (706) 277-6100	Industrial Motors, Inc. 1511 Mt. Pleasant Street Burlington, IA 52601 (319) 752-4917	Evergreen Tool & Equipment 21964 Howell Drive New Lenox, IL 60451 (815) 462-7787	IN Almac Air Tools Service 6011 East Hanna Ave. Ste. B Indianapolis, IN 46203 (317) 786-1355
M & W Electric Motors. Inc. 1250 Barrancas Ave Pensacola, FL 32501 (850) 433-0400	Southside Mower & Magneto Repair Inc 1885 S. Monroe Street Tallahassee, FL 32301 (850) 224-5613	Hamilton Equipment 5250 Veterans Parkway Columbus, GA 31904 (706) 322-4471	Pneumatic Tool Repair 1991 Marion Street Dubuque, IA 52003 (563) 582-8635	Hugo's Equipment Repair 415 W. Kay Avenue Addison, IL 60101 (630) 628-7977	B & B Air Repair 4261 Filby Road Richmond, IN 47374 (765) 935-6856
Mid-Florida Tool & Equipment Repair 8228 S.W. 103rd Street Ocala, FL 34481 (352) 854-5000	Suncoast Tool Repair Inc. 14606 Marina Drive Hudson, FL34667 (727) 697-0134	Industrial Controls, Inc. 1710 Eastman Drive Tifton, GA 31793 (229) 387-8114	Puckett Tools & Fasteners 841 11th Street Des Moines, IA 50309 (515) 244-4189	Keith's Power Equipment 3701 Chicago Rd. Steger, IL 60475 (708) 755-2660	Brown & Hubert 306 N. Seventh Ave. Evansville, IN 47710 (812) 425-9049
Mobile Tool Repair, Inc. 2126 Hwy 2321 Southport, FL 32409 (850) 271-1707	Sunray-Babcock's Repair Center 8371 N. Tamiami Trail (US 41) Sarasota, FL 34243 (941) 358-9999	Power Tool Service Inc. 1939 Hills Avenue NW Atlanta, GA 30318 (404) 605-0101	Puckett Tools & Fasteners 410 1st Ave NW Cedar Rapids, IA 52405 (319) 363-2211	J W Small Engine Repair 176 Detroit Street Cary, IL 60013 (847) 462-1905	The Gun Men, Inc. 3021 Emerald Drive Hobart, IN 46342 (219) 712-3801
Naples Electric Tool 3427 Exchange Ave Unit D Naples, FL 34120 (239) 352-6331	Tool Master Inc. 196 East 4th Avenue Hialeah, FL33010 (305) 883-1903	Precision Tool Repair, Inc. 1726 B Hazelwood Drive Marietta, GA 30067 (678) 560-6811	ID Boise Tool Repair 121 East 44th Suite C Boise, ID 83714 (208) 323-9931	M & M Small Engine Repair 325 S. Main O'Fallon, IL 62269 (618) 632-8064	H & M Electric Co. 1124 S. Washington Kokomo, IN 46902 (765) 457-3291
Power Tool Repair Co., Inc. 4750 Bayline Drive North Fort Myers, FL 33917 (239) 995-8805	Tool Shack, Inc. 226 Edgewood Avenue South Jacksonville, FL 32254 (904) 387-1466	Specialty Services Unlimited 419 N. Commercial Circle Warner Robbins, GA 31093 (478) 328-3190	Crandall Service Co. Inc. 227 So. Park Ave W. Twin Falls, IA 83301 (208) 733-8953	McCabe Brothers, Inc. 411 N. Wright Street Champaign, IL 61824 (217) 352-5620	Lawrence Bowers Electric 729 Navaco Drive Lafayette, IN 47905 (765) 446-7171
Precision Tool Services 12 South Deleon Ave. Unit C Titusville, FL 32796 (321) 269-7441	Total Tool Service 460 Business Parkway, Ste F Royal Palm Beach, FL 33411 (561) 795-0505	The Tool Box, Inc. 439 A Telfair Road Savannah, GA 31415 (912) 238-5512	Rossiter Electric Motors 1501 S. Capital Ave Idaho Falls, IA 83402 (208) 529-3665	Mid-West Hydra-Line, Inc. 698 U.S. Hwy 150 East Galesburg, IL 61401 (309) 342-6171	R & C Small Engine Repair 13630 Wicker Ave. Ste. A Cedar Lake, IN 46303 (219) 374-9660
				Milby's 510 Providence Road Buda, IL 61314 (309) 895-2208	

For more service locations visit us at www.BOSTITCH.com

For more service locations visit us at www.BOSTITCH.com

Authorized Warranty Service Centers

Wagner Electric of Ft. Wayne 3610 North Clinton St. Fort Wayne, IN 46805 (260) 484-5532	Tom's Construction & Rentals 301 Miller Street Farmerville, LA 71241 (318) 368-7343	The Mower Works, Inc. P.O. Box 663 Clarksville, MD 21029 (410) 531-6982	All Tool Repair 7225 Stanke Drive East Lansing, MI 48823 (517) 339-8011	Total Hydraulic Engineering and Supply 120 N. Union Street / P.O.Box 160 Parma, MI 49269 (517) 531-8100	MO AAA Small Engine Repair 1310 North 4th Street St. Joseph, MO 64501 (816) 364-6160
KS Alan Appliance Service, Inc. 1300 E. Central Wichita, KS67214 (316) 262-7228	Tri-Star Sales & Repair Svc. 46327 Milton Road Hammond, LA 70401 (225) 567-4867	Waters Appliance Service Inc. 216 E. Diamond Ave Gaithersburg, MD 20877 (301) 258-7500	Atlas Tool Service 2505 South Getty Street Muskegon Heights, MI 49444 (231) 739-6555	Total Tool & Equip. Service 200 North 12th Street Escanaba, MI 49829 (906) 786-7242	Construction Tool Repair 806 Pannell Street Unit C Columbia, MO 65201 (573) 499-1808
Coffey County OPE INC 1261 US Hwy 75 Burlington, KS 66839 (620) 364-3134	Universal Power Equipment 3812 Coliseum Blvd. Alexandria, LA 71301 (318) 445-1611	WTS, Inc 4000 Coolidge Aveune Arbutus, MD 21229 (443) 543-0100	Bridgeway Power 977 N. Center Ave. Gaylord, MI 49735 (989) 732-5055	MN Air & AG Supply, Inc 30217 Hwy 15 South Winthrop, MN 55396 (507) 647-4247	Darco Equipment Service Co. 6519 Stadium Dr. Kansas, MO 64129 (816) 924-1245
Mid-Kansas Tool & Electric 314 W. Cloud Street Salina, KS 67401 (785) 825-6287	MA Foxboro Tool Repair, Inc. 16 Railroad Ave Foxboro, MA 02035 (508) 543-2606	ME Custom Sharpening Farmington Falls Rd, Unit 7&8 Farmington, ME 04938 (207) 778-3446	Bridgeway Power 863 South Airport Road Traverse, MI 49686 (231) 947-5824	DEKO Factory Service 3048 Bloomington Ave S Minneapolis, MN 55407 (612) 721-6651	H & H Small Engine 207 N. Frisco Street Sikeston, MO 63801 (573) 472-3228
KY Roman's Repair Center 601 College Street Bowling Green, KY 42101 (270) 746-0857	Holyoke Appliance & Sharpening 918 Hampden Street Holyoke, MA 01040 (413) 533-8830	June's Sharpening Service 12 Brookside Drive Fort Kent, ME 04743 (207) 834-3774	Ed's Electric Appliance Service 3916 Charlevoix Rd. Petoskey, MI 49770 (231) 347-9599	Electric Motor/ Bearing Service 1401 West 9th Street Albert Lea, MN 56007 (507) 377-0032	P.M.Electric Co., Inc. 5280 Fyler Avenue St. Louis, MO 63139 (314) 351-4550
Smiley's Air Tool Inc. 4552 Poplar Level Road Louisville, KY 40213 (502) 966-3433	Panda Electric Service Inc. 165 Main Street Everett, MA 02149 (617) 389-1442	Morneault's Service Center 187 Ohio Street Bangor, ME 04401 (207) 942-6005	McNichols Electric Service, Inc. 13725 West McNichols Rd. Detroit, MI 48235 (313) 342-6070	Lackore Electric Motor Repair 108 West 2nd Street Winona, MN 55987 (507) 452-3103	Ray's Repair Service 1004 E. Commercial Street Springfield, MO 65803 (417) 862-8670
Warden Electric Co. Inc. P.O. Box 1283 Paducah, KY 42001 (270) 443-4622	Red's Tool Repair, Inc. 10-J Roessler Road Woburn, MA 01801 (781) 933-5757	Poulin Electric Motors 195 Church Hill Road Augusta, ME 04330 (207) 622-1689	Mid-Michigan Repair Service 680 Poseyville Road Midland, MI 48640 (989) 835-6014	Neil's Electric 5115 65th Street N.W. Rochester, MN 55901 (507) 288-0908	Thompson Service Center 1625 South Main Street Joplin, MO 64804 (417) 781-5030
LA Koehn Repair Shop 1125 E. First Street DeRidder, LA 70634 (337) 463-7370	Rogers Power Tool Repair 683 American Legion Highway Westport, MA 02790 (508) 636-3484	Quality Tool Service 8 Dennison Ave. Freeport, ME 04032 (207) 865-9835	Northend Small Engines 3871 Pine Grove Ave. Ft. Gratiot, MI 48059 (810) 984-8268	Reeds Sales & Service Inc. 1260 Payne Avenue St.Paul, MN 55101 (651) 774-9515	Tool Service Center, Inc. 2431 Raymond Drive St. Charles, MO 63301 (636) 940-2525
Precision Equip. Service Inc. 10715 Cherry Hill Ave Baton Rouge, LA 70816 (225)296-0400	MD ATMS Incorporated 8907 Garland Ave Silver Spring, MD 20901 (301) 563-6601	Yerxa's Lawn & Garden 753 Broadway South Portland, ME 04106 (207) 799-2241	Northwest Tool Supply, Inc. 30270 Beck Road Wixom, MI 48393 (248) 669-4040	Schons Repair 23638 Co Road 104 Detroit Lakes, MN 56501 (218) 439-3634	MS DH Equipment 2907 HWY 80 E Brandon, MS 39042 (601) 825-9677
Robert's Repair Rental and Retail Inc 4919 LA 182 Houma, LA 70364 (985) 872-0896	Hemp's Power Tool Repair, Inc. 17 Woodside Avenue Thurmont, MD 21788 (301) 898-9916	MI Air Tool Service Company 12758 Inkster Road Redford, MI 48239 (313) 535-1120	Robinson's Saw Service 52211 Van Dyke Street Shelby Township, MI 48316 (586) 731-7175	Zahl Equipment Service 1832 N. Riverfront Drive Mankato, MN 56001 (507) 387-4478	Power Tool Repair & Parts 179 Road 1790 Tupelo, MS 38804 (662) 842-0977
			The Shaver Shop Inc. 61 W. Huron Pontiac, MI 48342 (248) 334-1411	Power Tool Source, Inc. 6820 Washington Ave Ocean Springs, MS 39564 (228) 872-8511	

For more service locations visit us at www.BOSTITCH.com

For more service locations visit us at www.BOSTITCH.com

Authorized Warranty Service Centers

Walker Rent-All 19079 Pineville Road Long Beach, MS 39560 (228) 864-0864	Rye's Glass 183 Shady Lane, Holiday Island Hertford, NC 27944 (252) 426-9237	Liberty Power Tool Repairs LLC 101-D Newton Ave. Oaklyn, NJ 08107 (856) 854-4384	Blose Tool Repair 1487 Foote Ave Ext. Jamestown, NY 14701 (716) 487-1922	Larry Ozga 166 New Road Nassau, NY 12123 (518) 766-2564	Westchester Electric Motors & Pumps Inc. 50 Vernon Lane Elmsford, NY 10523 (914) 592-1484
MT Allen's Tool Repair 115 5th Street West Billings, MT 59101 (406) 248-3865	Tool & Equipment Supply Inc. 807 Huffman Street Greensboro, NC 27415 (336) 275-6124	Middlesex Industrial Sales 522 New Brunswick Ave. Fords, NJ 08863 (732) 738-0537	Boro Tool Repair 4406 Martha Avenue Yonkers, NY 10704 (914) 776-7859	Mahopac Mower Mart (Evergreen Power Equip. Inc) 834 Route 6 Mahopac, NY 10541 (845) 628-7749	OH Allied Electrical Repair 1404 Hardingway East Galion, OH 44833 (419) 468-4962
Big Sky Power Equip. 1301 3rd Street NW Great Falls, MT 59404 (406) 761-6688	ND Fix-It-Shop 316 21st Street East P.O. Box 1444 Dickinson, ND 58601 (701) 225-0766	Power Tool Co. 609 Memorial Drive Neptune, NJ 07753 (732) 776-8282	EDM Contractors Equipment 2028 County Route 8 Oswego, NY 13126 (315) 342-1671	Precision Propeller & Tool Repair 135 South William Street Newburgh, NY 12550 (845) 562-3880	General Rental Centers, Inc. 219 N. Ohio Avenue Sidney, OH 45365 (937) 498-9815
Hellgate Tool Repair 2006 North Avenue West Missoula, MT 59801 (406) 549-3067	NE A & B Tool & Equipment Rental 1408 West 1st Street Ogallala, NE 69153 (308) 284-2304	Prompt Service Inc. 518 Union Hill Road Englishtown, NJ 07726 (732) 972-2789	Eastern Industrial Equipment 2231 Jericho Turnpike Garden City Park, NY 11040 (516) 741-3198	R.P. Rentals 1855 Stanhope Street Ridgewood, NY 11385 (718) 456-7397	Kay-Dee Air & Electric Tool Repair 5466 Lake Court Cleveland, OH 44114 (216) 881-2565
Northwest Tool Repair 1000 Baker Avenue Whitefish, MT 59937 (406) 862-6275	Flohr Electric Service, Inc. 4356 South 90th Street Omaha, NE 68127 (402) 331-6863	Raw Power Tool Repair 66 Clinton Road Fairfield, NJ 07004 (973) 244-1014	Eldred Power Equipment & Auto Parts, Inc. 550 Route 55 Eldred, NY 12732 (845) 557-6168	Reliable Tool Service 491 Main Street Islip, NY 11751 (631) 581-8180	MATS Equipment Co. Inc. 51 Pierce Avenue West Carrollton, OH 45449 (937) 859-8057
NC A & L Rental and Repair Inc. 1505 Greenville Hwy Kinston, NC 28501 (252) 523-8848	Tool Doctor 607 Avenue D Kearney, NE 68847 (308) 237-0802	NM Telco Electric Inc. 2906 4th St. NW Albuquerque, NM 87107 (505) 345-2426	Five Boro Pneu-Tronics, Inc. 798 East 43rd Street Brooklyn, NY 11210 (718) 338-8911	Richard's Tool & Motor Repair 241 County Rd 39 #5 Southampton, NY 11968 (631) 283-5130	Mek-Elek of Ohio 19097 Drake Rd. Strongsville, OH 44149 (440) 238-1919
American Tool & Tractor 1950 Dawson Street Wilmington, NC 28403 (910) 251-0259	NH Red Eagle Product 19 Red Eagle Street Conway, NH 03818 (603) 447-5865	NV Nevada Air & Industrial Equip. 1001 Greg Street Sparks, NV 89431 (775) 355-1600	Ira D. Conklin & Sons, Inc 92-94 Stewart Ave Newburgh, NY 12550 (914) 561-1512	Rochester Tool & Torch Repair LLC 313 Jefferson Ave. Fairport, NY 14450 (585) 388-6650	OHS Inc./Ohio Hydraulic Service 24 North Grubb St. Columbus, OH 43215 (800) 828-0049
Bear Paw 221 Toosweet Road Sylva, NC 28779 (828) 631-2327	Taylor Rental 126 Key Road Keene, NH 03431 (603) 352-0539	Tool Service 3239 Industrial Road Las Vegas, NV 89109 (702) 734-9161	J & A Repair 6202 20th Ave Brooklyn, NY 11204 (718) 232-5746	Stewart Electric Repair Co. 412 Broadway Schenectady, NY 12305 (518) 393-5837	Pro Tool Service, Inc. 1125 Glendale Milford Rd. Cincinnati, OH 45215 (513) 772-1490
DJM Tool 997 Salem Church Road Lincolnton, NC 28092 (704) 736-0671	Bill's Rapid Gun Repair 129 Newton Road Plaistow, NH 03865 (603) 382-7313	NY A & T Power Tool 515 E. Jericho Turnpike Huntington Station, NY 11746 (631) 271-2141	Kinequip, Inc. / Northeast Comp. 7340 Thompson Road North Syracuse, NY 13212 (315) 463-7785	Taylor Rental 363 Elmira Road Ithaca, NY 14850 (607) 273-1807	Tool Shop, Inc. 38130 Airport Parkway, Unit #4 Willoughby, OH 44094 (440) 946-9950
J & S Tool Repair 1309 Hodges Street Raleigh, NC 27604 (919) 856-0050	BC Electric & Air Co. 653 Route 82 Suite B Hopewell Junction, NY 12533 (845) 227-8289		Kinequip, Inc. 365 Old Niagara Falls Blvd. Buffalo, NY 14228 (716) 694-5000	United/ Richter Electric Motors 106 Michigan Ave Buffalo, NY 14204 (716) 855-1945	OK Allied Tool Inc 8911 East Admiral Place Tulsa, OK 74115 (918) 863-3939
Piedmont Power Machine Serv. 4994C Indiana Avenue Winston-Salem, NC 27106 (336) 759-2022	NJ Cougar Electronics & Repair 622 Broadway Long Branch, NJ 07740 (732) 870-3302				

For more service locations visit us at www.BOSTITCH.com

For more service locations visit us at www.BOSTITCH.com

Authorized Warranty Service Centers

ARA Equipment Rentals 2318 W. Gore Blvd Lawton, OK 73505 (580) 355-1539	Dave's Air Tool Repair 6 Henne Road Bernville, PA 19506 (610) 488-7973	Tropp Electric Equip. Repair 172 Brier City Road Pottsville, PA 17901 (570) 544-3318	TN Brady Tool Service, Inc. 2002 East Magnolia Ave. Knoxville, TN 37917 (865) 546-7744	Handyman Services 2158 US Hwy 281South Wichita Falls, TX 76310 (940) 766-0202	Texoma Tool Repair, Inc. 308 E. Houston Street Sherman, TX 75090 (903) 892-1510
Commercial Tool Repair, Inc. 1829 Linwood Oklahoma City, OK 73106 (405) 232-2158	Dave's Repair Service 1840 Liberty Drive Williamsport, PA 17701 (570) 494-1716	West Side Lawn Mower 1122 N. Broad St. Lansdale, PA 19446 (215) 855-5627	Clarksville Tool 601 Kraft Street, Ste #105 Clarksville, TN 37040 (931) 645-8022	Hurricane Tool & Supply 4330 Center Street Deer Park, TX 77536 (281) 476-5530	UT AAIRCO 935 West 1860 South Salt Lake City, UT 84104 (801) 972-3186
OR Air Tool Maintenance 420 River Road Eugene, OR 97404 (541) 461-1714	Dom's Air Tool Repair RR1 Box 98, Sand Bar Rd. Port Royal, PA 17082 (717) 527-4877	RI Electric Motor Service, Inc. 3070 Post Road Warwick, RI 02887 (401) 737-2534	Rustic Enterprise 1565 Rock Springs Road Kingsport, TN 37664 (423) 349-4312	Innovative Tooling Services 2506 W. Marshall Grand Prairie, TX 75051 (972) 647-0800	Northern Utah Tool Service 2930 Pennsylvania Ave, Unit 84 Ogden, UT 84401 (801) 612-1192
Jim's Tool Service 515 Wilson Street Eugene, OR 97402 (541) 344-1243	Dorward Electric Corp. 450 West Church Street Slatinington, PA 18080 (610) 767-8148	Rental Unlimited 426 Atwood Avenue Cranston, RI 02920 (401) 942-3766	Underwood Repair Center 1706 Antioch Pike Antioch, TN 37013 (615) 833-2022	J & T's Welding, LLC 5294 Old Christoval Road San Angelo, TX 76904 (325) 651-1408	The Mending Shed 1735 South State Street Orem, UT 84097 (800) 339-9297
Precision Power Tool Repair 2941 N. Pacific Hwy Medford, OR 97501 (541) 770-5541	General Tool & Repair, Inc. 2449 South Queen Street York, PA 17402 (717) 741-9592	SC BACS. Inc. 2153 N. Main Street Summerville, SC 29483 (843) 821-3487	TX American Industrial Supply & Tool Repair 1101 A West Business 83 Pharr, TX 78577 (956) 702-4410	Ludwig Saw & Tool Sharpening 1701 Maple Ave Waco, TX 76707 (254) 754-6971	VA B & B Appliance & Lawn Equipment 71 Lawson Road, Unit C Leesburg, VA 20175 (703) 777-1093
Quality Tool Repair 836 Richmond Street Klamath Falls, OR 97601 (541) 883-5870	Ideal Tool & Equipment Service 456 N. 8th Street Philadelphia, PA 19123 (215) 925-0672	Conway Electric Motor Service 402 Lewis Street Conway, SC 29526 (843) 248-5302	Bush Hydraulics 2012 N. Lexington Blvd. Corpus Christi, TX 78409 (361) 289-0441	Mr. Fix-It 4450 FM 1387 Midlothian, TX 76065 (972) 723-0171	D & S Repair Service, Inc. 20 S. Dove Street Alexandria, VA 22314 (703) 683-0009
PA A-1 Repair Service 1561 Easton Rd. Roslyn, PA 19001 (215) 659-4215	Next Generation Tool 616 W. Lackawanna Avenue Olyphant, PA 18447 (570) 383-7790	Industrial Tool Repair 237 Pine Lee Road Columbia, SC 29223 (803) 736-7282	Caprock Equip. Service & Supply 2112 50th Street Lubbock, TX 79412 (806) 747-9177	Nathan's Machine Shop Route 4, Box 257-A Buna, TX 77612 (409) 994-2473	Fredericksburg Repair 10705 Stoner Drive Fredricksburg, VA 22408 (540) 834-0031
Airmatic Inc. 7317 State Rd. Philadelphia, PA 19136 (215) 333-5600	Passmore Service Center 1108 Route 100 Bechtelsville, PA 19505 (610) 367-9084	Lake Electric 135 Market Street Orangeburg, SC 29115 (803) 534-1022	Earl's Repair Center 7900 Highway 71 West #A Austin, TX 78735 (512) 288-1334	Q & S Small Engine Repair 2210 Shelton Abilene, TX 79603 (325) 675-5104	Hydraulic Service Co., Inc 3215 Victory Blvd. Portsmouth, VA 23702 (757) 487-2513
B.J. Tool P.O. Box 268 Myerstown, PA 17067 (717) 866-6569	Scranton Grinder & Hardware 1020 Hemlock Street Scranton, PA 18505 (570) 344-2520	The Mac Master Co., Inc. 1047 Berea Road, Suite 117 Columbia, SC 29201 (803) 252-0799	Fort Worth Shaver & Appliance 1900 Montgomery Street Fort Worth, TX 76107 (817) 335-9970	Reid's Appliance Service, Inc. 906 S. Georgia Amarillo, TX 79102 (806) 373-8812	Phillips Tool Repair, Inc. 2026 Chamberlayne Ave. Richmond, VA 23222 (804) 321-6007
Bob's Small Engine Repair 107 Elm Street Lakemont Altoona, PA 16602 (814) 944-1942	Stroudsburg Electric Motor Srv 756 Phillips Street Stroudsburg, PA 18360 (570) 421-8909	SD Hydraulic World, Inc. 123 N. Marion Road Sioux Falls, SD 57107 (605) 334-7812	Gorhum's Lawn Mower Shop 725 E. Grimes Harlingen, TX 78550 (956) 423-3739	Shaver Service Center 5320 Cameron Road Austin, TX 78723 (512) 454-5848	Roberts Small Engine Repair 1109 Curve Road Pearisburg, VA 24134 (540) 921-3255
C & E Pneumatic Service Inc. 301 Poplar Street Hanover, PA 17331 (717) 632-5200	Tredinnick's Repair & Rental 285 Old River Road Wilkes Barre, PA 18702 (570) 824-9053			Texas Shaver & Appliances 8121 Callaghan Road San Antonio, TX 78230 (210) 979-6603	

For more service locations visit us at www.BOSTITCH.com

For more service locations visit us at www.BOSTITCH.com

Authorized Warranty Service Centers

Sterling Mower Repair, Inc. 45565 W. Church Road Sterling, VA 20164 (703) 430-3989	WI Dr. Tool Service center 975 Parkview Road Greenbay, WI 54304 (920) 336-7440	WV A+ Rental Sales & Service Route 6 Box 118 Buckhannon, WV 26201 (304) 472-3789
Stultz Machine, Tools & Equipment, Inc 1546 Brownlee Ave, S.E. Roanoke, VA 24014 (540) 981-9359	EMS Industrial, Inc 1901 Wright Street Madison, WI 53704 (608) 241-8866	Air Tech Tool Service Inc. 325 City Avenue Beckley, WV 25801 (304) 253-6799
VT Burlington Tool Repair 3 Kellogg Road Essex Junction, VT 05452 (802) 872-0051	Hayward Electric Supply, Inc. 16058 W US Highway 63 Hayward, WI 54843 (715) 634-2301	Larry's Pneumatic Service 100 Princeton Ave Bluefield, WV 24701 (304) 325-9262
Valley Sales & Rental 755 Putney Road Brattleboro, VT 05301 (802) 257-9181	Lackore Electric Motor Repair 4102 Mormon Coulee Court LaCrosse, WI 54601 (608) 782-7635	
WA Action Small Appliance, Inc. 1500-145th Place S.E. Bellevue, WA 98007 (425) 643-9806	Linder Electric Motors, Inc. 308 Adrian Street Wausau, WI 54401 (715) 842-3725	
Brosson Tool 10808 Myers Way S Seattle, WA 98168 (206) 244-3171	Power Tool Service Co. 300 N Webster Ave Green Bay, WI 54301 (920) 437-2594	
Harbor Rental Saw Shop 890 Guard Street Friday Harbor, WA 98250 (360) 378-2220	Power Tools & Equipment 2934 West Burnham Street Milwaukee, WI 53215 (414) 384-0400	
Northwest Tool Repair 2837 Friday Creek Road Burlington, WA 98233 (360) 724-6982	R.W. Enterprise 5949 Highway 12 Eau Claire, WI 54701 (715) 832-5272	
Power Tool Service 1902 E. Mission Ave Spokane, WA 99202 (509) 535-1754	Rusch Electric Motor Repair 330 East North Street Waukesha, WI 53188 (262) 547-4037	
Tap Tool Repair, Inc. 1401 52nd Ave East Tacoma, WA 98424 (253) 922-5787	Wisconsin Valley Concrete 311 5th Ave. North Wisconsin, WI 54495 (715) 423-7500	

For more service locations visit us at www.BOSTITCH.com



Bostitch® Service Plus

For fast tool maintenance and service call

1-800-556-6696

Stanley Fastening Systems, L.P. One Year Limited Warranty

Stanley Fastening Systems, L.P. warrants this product to the original purchaser for one year from the date of purchase against any defect in material or workmanship, and agrees to repair or replace, at Stanley Fastening Systems, L.P.'s option, any defect of that material or workmanship. This warranty is not transferable. It only covers damage resulting from defects in material and workmanship, and it does not cover conditions or malfunctions resulting from normal wear, neglect, abuse, accident or repairs made by other than our regional repair center or authorized warranty service centers. Driver blades, bumpers, and o-rings are considered normally wearing parts.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED TO THE DURATION OF THIS WARRANTY. REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER. STANLEY FASTENING SYSTEMS, L.P. SHALL NOT BE HELD LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF ANY EXPRESS OR IMPLIED WARRANTY ON THESE PRODUCTS.

This warranty is limited to sales in the United States and Canada. Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

To obtain warranty service, return the product at your expense together with proof of purchase to a Stanley-Bostitch Regional or Authorized Warranty Repair Center. You may call us at 1-800-556-6696 for the location of authorized warranty service centers in your area.

AD6036 © 2005 The Stanley Works

BOSTITCH
Built to work.
STANLEY

Bostitch, East Greenwich, Rhode Island 02818
Customer Service Phone: 1-800-556-6696 Fax: 1-800-842-9360
www.BOSTITCH.com